



högländets stål

ALUMINIUM

ALUMINIUMPLÅT

Aluminiumplåt 1050A H14/H24				
Dimension mm		Kg/st		Övrigt
2000x1000x0.5		2,70		
2000x1000x0.7		3,78		
2000x1000x0.8		4,32		
2000x1000x1.0		5,40		
2500x1250x1.0		8,44		
3000x1250x1.0		10,10		
3000x1500x1.0		12,15		
2000x1000x1.2		6,48		
2500x1250x1.2		10,13		
3000x1500x1.2		15,20		
2000x1000x1.5		8,10		
2500x1250x1.5		12,70		
3000x1250x1.5		15,20		
3000x1500x1.5		18,23		
2000x1000x2.0		10,80		
2500x1250x2.0		16,90		
3000x1500x2.0		24,30		
2000x1000x2.5		13,50		
2500x1250x2.5		21,10		
2000x1000x3.0		16,20		
2500x1250x3.0		25,30		
3000x1500x3.0		36,50		
2000x1000x4.0		21,60		
2500x1250x4.0		33,75		
3000x1500x4.0		48,60		
2000x1000x5.0		27,00		
2500x1250x5.0		42,20		
3000x1500x5.0		60,75		
2000x1000x6.0		32,40		
3000x1500x6.0		72,90		
2000x1000x8.0		43,20		H111
2500x1250x8.0		67,50		
2020x1020x10.0		55,08		H111

Aluminiumplåt 1050A H14/H24 Stucco				
Dimension mm		Kg/st		Övrigt
2000x1000x1.0		5,40		
2500x1250x1.0		8,44		

Aluminiumplåt 5754 H22/H32				
Dimension mm		Kg/st		Övrigt
2000x1000x1.0		5,40		
2500x1250x1.0		8,44		
2000x1000x1.2		6,48		
2500x1250x1.2		10,13		
2000x1000x1.5		8,10		
2500x1250x1.5		12,70		
3000x1500x1.5		18,23		
2000x1000x2.0		10,80		
2500x1250x2.0		16,90		Plastad 1 sida
2500x1250x2.0		16,90		
3000x1500x2.0		24,30		
2000x1000x2.5		13,50		

Forts.

ALUMINIUMPLÅT

Forts. Aluminiumplåt 5754 H22/H32				
Dimension mm		Kg/st		Övrigt
2500x1250x2.5		21,10		
3000x1500x2.5		30,40		
2000x1000x3.0		16,20		Plastad 1 sida
2000x1000x3.0		16,20		
2500x1250x3.0		25,30		Plastad 1 sida
2500x1250x3.0		25,30		
3000x1500x3.0		36,51		
2000x1000x4.0		21,60		
2500x1250x4.0		33,75		
3000x1500x4.0		48,60		
2000x1000x5.0		27,00		
2500x1250x5.0		42,20		
3000x1500x5.0		60,75		
4000x2000x5.0		108,00		
2000x1000x6.0		32,40		
2500x1250x6.0		50,63		
3000x1500x6.0		72,90		

Aluminiumplåt 5754 H34 DNV certifikat				
Dimension mm		Kg/st		Övrigt
5000x2000x4.0		108,00		
5000x2000x6.0		162,00		
5000x2000x8.0		216,00		

Aluminiumplåt 5754 H111				
Dimension mm		Kg/st		Övrigt
2020x1020x8.0		44,50		
3020x1520x8.0		99,20		
2020x1020x10.0		55,70		
2520x1270x10.0		86,50		
3020x1520x10.0		124,00		
2020x1020x12.0		66,80		
2520x1270x12.0		103,70		
3020x1520x12.0		148,80		
2020x1020x15.0		83,50		
2520x1270x15.0		129,70		
3020x1520x15.0		186,00		
2020x1020x20.0		111,30		
2520x1270x20.0		172,90		
3020x1520x20.0		247,90		
2020x1020x25.0		139,10		
3020x1520x25.0		309,90		
2020x1020x30.0		167,00		
2020x1020x40.0		222,60		
2020x1020x50.0		278,20		
2020x1020x60.0		334,00		

Aluminiumplåt 6082 T6/T651				
Dimension mm		Kg/st		Övrigt
2000x1000x2.0		10,80		
2000x1000x3.0		16,20		
2500x1250x3.0		25,30		
3000x1500x3.0		36,45		
2000x1000x4.0		21,60		

Forts.

ALUMINIUMPLÅT

Forts. Aluminiumplåt 6082 T6/T651				
Dimension mm		Kg/st		Övrigt
2500x1250x4.0		33,80		
2000x1000x5.0		27,00		
2020x1020x6.0		33,41		
2020x1020x8.0		44,50		
2020x1020x10.0		55,70		
2520x1270x10.0		86,50		
3020x1520x10.0		124,00		
2020x1020x12.0		66,80		
3020x1520x12.0		148,80		
2020x1020x15.0		83,50		
3020x1520x15.0		186,00		
2020x1020x20.0		111,30		
3020x1520x20.0		247,90		
2020x1020x25.0		139,10		
3020x1520x25.0		309,90		
2020x1020x30.0		167,00		
3020x1520x30.0		371,82		
2020x1020x40.0		222,60		
3020x1520x40.0		497,00		
2020x1020x50.0		278,20		
2020x1020x60.0		334,00		

Aluminiumplåt Gjutna ACP 5080 verktygsplåt				
Dimension mm		Kg/st		Övrigt
3000x1300x8.0		83,00		
3670x1550x10.0		151,30		
3670x1550x12.0		181,60		
3670x1550x15.0		227,00		
3670x1550x20.0		302,65		
3670x1550x30.0		453,95		

Aluminiumplåt Anodiseringskvalitet 5005 H14/H24 plast en sida				
Dimension mm		Kg/st		Övrigt
2000x1000x1.0		5,40		
2500x1250x1.0		8,44		
2000x1000x1.5		8,10		
2500x1250x1.5		12,70		
2000x1000x2.0		10,80		
2500x1250x2.0		16,90		
2000x1000x3.0		16,20		
2500x1250x3.0		25,30		

Aluminiumplåt 5005 H14/H24 utan plast				
Dimension mm		Kg/st		Övrigt
2000x1000x1.0		5,40		
2000x1000x1.5		8,10		
2000x1000x2.0		10,80		
2000x1000x3.0		16,20		

ALUMINIUMPLÅT

Aluminiumplåt Naturanodiserad 15µ 5005 H14/H24 plast en sida				
Dimension mm		Kg/st		Övrigt
2000x1000x1.0		5,40		
2500x1250x1.0		8,45		
2000x1000x1.5		8,10		
2500x1250x1.5		12,70		
3000x1500x1.5		18,23		
2000x1000x2.0		10,80		
2500x1250x2.0		16,90		
3000x1500x2.0		24,30		
2000x1000x3.0		16,20		
2500x1250x3.0		25,30		
3000x1500x3.0		36,50		

Aluminiumplåt Lackerad				
Dimension mm		Kg/st		Övrigt
2500x1250x1.0		8,45		Vit 0500
2500x1250x1.0		8,45		Vit 0502Y
2500x1250x1.5		12,80		Vit 0500
2500x1250x1.5		12,80		Vit 0502Y
3000x1500x1.5		18,40		Vit 0500
2500x1250x1.6		13,50		Blå
2500x1250x1.6		13,50		Grön
2500x1250x1.6		13,50		Gul
2500x1250x1.6		13,50		Röd
2500x1250x1.8		15,20		Vit 0500

Aluminium Durkplåt 5754 H114 Five bar				
Dimension mm		Kg/st		Övrigt
2000x1000x2/3.5		12,45		
2500x1250x2/3.5		19,40		
2000x1000x3/4.5		18,00		
2500x1250x3/4.5		28,00		
3000x1250x3/4.5		33,75		
3000x1500x3/4.5		40,50		
4000x1000x3/4.5		36,00		
2000x1000x4/5.5		23,00		
4000x1000x4/5.5		46,00		
2000x1000x5/6.5		28,60		
2500x1250x5/6.5		44,70		
3000x1250x5/6.5		53,60		
3000x1500x5/6.5		64,35		
4000x1000x5/6.5		57,20		
3000x1250x7/8.5		74,25		

Aluminium Durkplåt 5754 H244 Risgryn				
Dimension mm		Kg/st		Övrigt
2500x1250x1.5/2		13,90		
2500x1250x2/2.5		18,10		

ALUMINIUMPLÅT

Aluminiumplåt Stordurk 6082 T6 Five bar				
Dimension mm		Kg/st		Övrigt
6000x2500x3/4		132,00		
4000x2500x5/7		148,75		
8000x2500x5/7		297,50		

Aluminiumplåt Stordurk 5086 H244 Five bar primad baksida				
Dimension mm		Kg/st		Övrigt
8000x2500x3/4		178,00		
9000x2500x3/4		201,60		

Aluminiumplåt Stordurk 5086 H244 Risgryn				
Dimension mm		Kg/st		Övrigt
8000x2500x3/3.5		168,00		
9000x2500x3/3.5		189,00		

ALUMINIUMSTÅNG

Aluminium plattstång 6060 T6, 6000 mm				
Dimension mm		Kg/st		Övrigt
10x2		0,36		
10x3		0,48		
10x4		0,66		
10x5		0,84		
15x2		0,48		
15x3		0,72		
15x4		1,02		
15x5		1,26		
15x6		1,50		
15x8		1,98		
15x10		2,46		
20x2		0,66		
20x3		0,96		
20x4		1,32		
20x5		1,68		
20x6		1,98		
20x8		2,64		
20x10		3,30		
25x2		0,84		
25x3		1,26		
25x4		1,68		
25x5		2,04		
25x6		2,46		
25x8		3,30		
25x10		4,14		
30x2		1,02		
30x3		1,44		
30x4		1,98		
30x5		2,46		
30x6		3,00		
30x8		3,96		
30x10		4,98		
30x20		9,90		
35x4		2,34		
35x5		2,88		
40x2		1,32		
40x3		1,98		
40x4		2,58		
40x5		3,30		
40x6		3,96		
40x8		5,28		
40x10		6,60		
45x5		3,72		
50x2		1,68		
50x3		2,46		
50x4		3,30		
50x5		4,14		
50x6		4,98		
50x8		6,60		
50x10		8,28		
50x15		12,36		
60x4		3,96		
60x5		4,98		
60x6		5,94		

Forts.

ALUMINIUMSTÅNG

Forts. Aluminium plattstång 6060 T6, 6000 mm				
Dimension mm		Kg/st		Övrigt
60x8		7,92		
60x10		9,90		
70x5		5,76		
70x6		6,96		
70x8		9,24		
80x3		3,96		
80x4		5,28		
80x5		6,60		
80x6		7,92		
80x8		10,56		
80x10		13,20		
90x10		14,88		
100x5		8,28		
100x6		9,90		
100x8		13,20		
100x10		16,50		
100x12		19,80		

Aluminium plattstång 6082 T6, 6000 mm				
Dimension mm		Kg/st		Övrigt
15x10		2,46		
20x5		1,62		
20x10		3,24		
20x12		3,96		
20x15		4,98		
25x10		4,08		
25x12		4,98		
25x15		6,06		
25x20		8,28		
30x5		2,46		
30x8		3,90		
30x10		4,86		
30x12		5,88		
30x15		7,32		
30x20		9,90		
35x10		5,76		
40x4		2,58		
40x5		3,24		
40x8		5,16		
40x10		6,48		
40x12		7,80		
40x15		9,60		
40x20		13,20		
40x25		16,20		
40x30		19,80		
50x5		4,08		
50x6		4,86		
50x8		6,60		
50x10		8,10		
50x12		9,72		
50x15		12,18		
50x20		16,20		
50x25		20,28		

ALUMINIUMSTÅNG

Forts. Aluminium plattstång 6082 T6, 6000 mm				Övrigt
Dimension mm		Kg/st		
50x30		24,78		
50x40		32,40		
60x5		4,86		
60x6		6,00		
60x8		7,80		
60x10		9,84		
60x12		11,64		
60x15		14,58		
60x20		19,44		
60x25		24,30		
60x30		29,16		
60x40		38,88		
70x10		11,34		
70x15		17,04		
70x20		22,68		
70x25		28,86		
70x30		34,68		
70x35		40,02		
70x40		46,20		
75x6		7,32		
75x8		9,90		
75x10		12,36		
75x20		24,78		
75x25		30,96		
80x8		10,20		
80x10		13,20		
80x12		15,54		
80x15		19,26		
80x20		25,92		
80x25		32,40		
80x30		39,60		
80x40		51,84		
80x50		66,00		
80x60		79,20		
85x30		41,34		
90x10		14,88		
100x10		16,32		
100x6		9,90		
100x12		19,44		
100x15		24,30		
100x20		32,40		
100x25		40,50		
100x30		48,60		
100x40		64,80		
100x50		81,00		
120x10		19,44		
120x12		23,34		
120x15		29,70		
120x20		39,00		
120x25		49,50		
120x30		59,40		
120x60		118,80		
125x10		20,64		
125x40		81,00		

Forts.

ALUMINIUMSTÅNG

Forts. Aluminium plattstång 6082 T6, 6000 mm			
Dimension mm		Kg/st	Övrigt
150x10		24,30	
150x12		29,70	
150x15		36,48	
150x20		48,60	
150x30		36,45	
150x40		48,60	
150x50		60,75	
180x20		59,40	
200x10		33,00	
200x12		39,60	
200x15		24,30	
200x20		32,40	
200x40		64,80	

Aluminium fyrkantstång 2011, 3000 mm			
Dimension mm		Kg/st	Övrigt
30		7,71	drawn
35		10,47	drawn
40		13,68	drawn
50		21,39	
60		30,78	
70		41,91	
80		54,72	
90		69,27	
100		87,00	

Aluminium fyrkantstång 6026, 3000 mm			
Dimension mm		Kg/st	Övrigt
20		3,24	drawn
30		7,71	drawn
35		10,47	drawn
40		13,68	drawn
50		21,39	drawn
60		30,78	
90		68,04	
100		81,00	
140		158,76	

Aluminium fyrkantstång 6082 T6, 6000 mm			
Dimension mm		Kg/st	Övrigt
10		1,62	
12		2,34	
15		3,66	
20		6,60	
25		10,14	
30		15,12	
35		19,80	
40		26,88	
45		32,82	
50		40,80	
55		49,02	
60		29,16	3m
65		34,23	3m

Forts.

ALUMINIUMSTÅNG

Forts. Aluminium fyrkantstång 6082 T6, 6000 mm				
Dimension mm		Kg/st		Övrigt
70		39,69		3m
75		45,60		3m
80		51,90		3m
85		58,53		3m
90		68,88		3m
95		73,11		3m
100		81,00		3m
110		102,00		3m
120		123,12		3m
130		144,51		3m
140		167,58		3m
150		182,25		3m
200		336,00		3m

Aluminium rundstång 2011 T6, 3000 mm				
Dimension mm		Kg/st		Övrigt
28		5,25		drawn
30		6,03		drawn
32		6,87		drawn
35		8,22		drawn
36		8,70		drawn
38		9,69		drawn
40		10,74		drawn
42		11,85		drawn
45		13,59		drawn
50		16,77		drawn
55		20,31		drawn
60		24,15		drawn
65		28,35		
70		32,88		
75		37,77		
80		42,60		
85		48,48		
90		54,36		
100		68,31		
105		75,30		
110		82,65		
115		90,33		
120		98,34		
130		115,41		
140		133,86		
150		153,66		
160		174,84		
170		197,37		
180		221,28		
200		273,18		

ALUMINIUMSTÅNG

Aluminium rundstång 6026, 3000 mm				
Dimension mm		Kg/st		
20		2,58		
25		4,02		
26		4,53		
28		5,25		
30		5,76		
32		6,51		
35		7,86		
38		9,24		
40		10,23		
42		11,85		
45		12,87		
50		16,02		
55		19,23		
60		23,04		
65		28,35		
70		32,10		
75		37,80		
80		42,96		
85		46,29		
95		60,57		
100		68,31		
105		75,30		
110		82,65		
115		90,33		
120		98,34		
125		105,00		
130		115,41		
140		133,86		
150		151,02		
160		174,84		
180		217,50		
200		261,00		

Aluminium rundstång 6060 T6, 6000 mm				
Dimension mm		Kg/st		Övrigt
6		0,48		
8		0,84		
10		1,26		
12		1,86		
14		2,52		
15		2,88		
20		5,10		
25		7,98		

Aluminium rundstång 6082 T6, 6000 mm				
Dimension mm		Kg/st		Övrigt
10		1,32		
12		1,86		
15		2,88		
16		3,24		
20		5,10		
22		6,48		
25		7,92		

Forts.

ALUMINIUMSTÅNG

Forts. Aluminium rundstång 6082 T6, 6000 mm				
Dimension mm		Kg/st		Övrigt
28		9,96		
30		11,46		
32		13,02		
35		15,60		
38		18,36		
40		20,34		
42		22,44		
45		25,74		
50		31,80		
55		38,46		
60		45,78		
65		26,88		3m
70		31,20		3m
75		35,76		3m
80		40,80		3m
85		45,93		3m
90		51,60		3m
95		57,39		3m
100		63,60		3m
105		74,01		3m
110		77,10		3m
115		88,77		3m
120		91,56		3m
125		104,88		3m
130		111,60		3m
140		124,80		3m
150		143,10		3m
160		171,81		3m
165		173,10		3m
170		193,98		3m
175		194,73		3m
180		217,50		3m
190		242,31		3m
200		254,40		3m
210		280,50		3m
220		324,84		3m
230		336,36		3m
250		397,50		3m

ALUMINIUMPROFILER

Aluminium T-profil 6060 T6, 6000 mm			
Dimension mm		Kg/st	Övrigt
20x20x2		1,32	
25x25x3		2,34	
30x30x3		2,82	
40x40x4		5,28	
50x50x5		8,28	
60x60x6		11,40	
80x80x8		21,12	

Aluminium T-profil 6082 T6, 6000 mm			
Dimension mm		Kg/st	Övrigt
40x40x4		5,04	
50x50x5		7,80	
60x60x6		11,04	

Aluminium U-profil 6060 T6, 6000 mm			
Dimension mm		Kg/st	Övrigt
10x10x10x1,5		0,66	
10x20x20x2		1,50	
10x10x10x2		0,84	
12x12x12x2		1,02	
14x14x14x2		1,26	
15x15x15x2		1,32	
20x10x10x2		1,20	
20x15x15x2		1,50	
20x20x20x2		1,86	
25x25x25x2		2,34	
25x15x15x2		1,68	
25x25x25x3		3,42	
30x30x30x2		2,82	
30x15x15x3		2,70	
30x20x20x3		3,12	
30x30x30x3		4,14	
40x30x30x3		4,68	
40x25x25x3		4,08	
40x30x30x4		6,06	
40x40x40x4		7,38	
50x25x25x4		6,06	
50x40x40x4		8,04	
50x50x50x4		9,36	
50x50x50x5		11,58	
60x40x40x4		8,70	
60x40x40x5		10,74	
70x40x40x4		9,36	
80x40x40x4		10,02	
80x40x40x5		12,36	
100x40x40x3		8,64	
100x40x40x4		11,34	
100x50x50x5		15,66	
120x60x60x5		18,96	
120x55x55x10		34,68	
200x100x100x10		62,70	

Aluminium U-profil 6082 T6, 6000 mm			
Dimension mm		Kg/st	Övrigt
50x30x30x4		6,60	
60x40x40x5		10,74	
100x50x50x5		15,42	

Forts.

ALUMINIUMPROFILER

Forts. Aluminium U-profil 6082 T6, 6000 mm				
Dimension mm		Kg/st		Övrigt
100x50x50x6		18,24		
140x60x60x5		20,34		

Aluminium L-profil 6060 T6, 6000 mm (Liksidge)				
Dimension mm		Kg/st		Övrigt
10x10x2		0,60		
15x15x2		0,90		
15x15x3		1,38		
20x20x2		1,26		
20x20x3		1,80		
20x20x4		2,40		
25x25x2		1,56		
25x25x3		2,34		
25x25x4		3,06		
25x25x5		3,72		
30x30x2		1,92		
30x30x3		2,88		
30x30x4		3,72		
30x30x5		4,56		
35x35x3		3,30		
35x35x4		4,38		
40x40x2		2,58		
40x40x3		3,84		
40x40x4		5,04		
40x40x5		6,18		
45x45x3		4,26		
50x50x2		3,24		
50x50x3		4,68		
50x50x4		6,36		
50x50x5		7,86		
50x50x6		9,30		
50x50x8		12,12		
60x60x3		5,82		
60x60x4		7,68		
60x60x6		11,28		
80x80x8		20,04		
100x100x10		31,38		

Aluminium L-profil 6082 T6, 6000 mm (Liksidge)				
Dimension mm		Kg/st		Övrigt
30x30x3		3,00		
40x40x4		4,92		
40x40x5		6,18		
50x50x5		7,80		
50x50x6		9,00		
50x50x8		12,12		
50x50x10		14,88		
60x60x6		11,10		
60x60x10		18,18		
70x70x7		15,36		
75x75x8		18,66		
75x75x9		20,94		
75x75x10		23,10		
80x80x8		19,68		
100x100x10		31,38		

ALUMINIUMPROFILER

Aluminium L-profil 6060 T6, 6000 mm (Oliksidig)				
Dimension mm		Kg/st		Övrigt
15x10x2		0,78		
20x10x2		0,90		
20x15x2		1,08		
25x15x2		1,26		
25x20x2		1,44		
25x15x3		1,86		
25x20x3		2,10		
30x15x2		1,44		
30x20x2		1,56		
30x20x3		2,40		
30x25x3		2,58		
40x15x2		1,74		
40x20x2		1,92		
40x20x3		2,82		
40x25x3		3,06		
40x20x4		3,72		
40x25x5		4,98		
50x20x2		2,22		
50x25x2		2,40		
50x25x3		3,54		
50x30x3		3,84		
50x25x4		4,68		
50x25x5		5,76		
50x30x5		6,18		
50x40x5		7,02		
60x40x2		3,24		
60x30x3		4,32		
60x40x3		4,80		
60x40x4		6,36		
60x40x5		7,86		
70x50x5		9,48		
80x30x3		5,28		
80x40x4		7,68		
100x50x3		7,32		
100x50x5		11,94		
100x50x6		14,28		

Aluminium L-profil 6082 T6, 6000 mm (Oliksidig)				
Dimension mm		Kg/st		Övrigt
50x30x4		4,98		
50x30x5		6,00		
60x40x5		7,80		
65x50x6		10,80		
75x50x5		9,90		
75x50x6		11,76		
75x50x8		15,60		
80x40x6		11,28		
80x50x6		12,60		
100x50x5		11,76		
100x50x6		14,28		
100x50x7		16,80		
100x50x8		18,72		
100x75x8		22,80		
130x65x10		30,24		

ALUMINIUMRÖR

Aluminiumrör runda 6060 T6, 6000 mm				
Dimension mm		Kg/st		Övrigt
6x1		0,24		
8x1		0,36		
10x1		0,48		
10x2		0,84		
12x1		0,54		
12x1,5		0,78		
14x3		1,68		
15x1,50		1,02		
15x2		1,32		
16x1,50		1,08		
16x2		1,44		
16x3		1,98		
18x1		0,84		
18x1,5		1,26		
19x1,50		1,32		
19x2		1,74		
20x1		0,96		
20x1,5		1,44		
20x2		1,86		
20x3		2,58		
20x4		3,24		
22x1,5		1,56		
22x2		2,04		
22x3		2,88		
25x1,50		1,80		
25x2		2,34		
25x3		3,36		
25x3,5		3,36		
25x5		5,10		
28x1,50		2,04		
30x2		2,88		
30x3		4,14		
30x5		6,36		
31x1,50		2,28		
32x2		3,06		
32x3,5		5,10		
35x1,5		2,58		
35x2		3,36		
35x3		4,86		
35x5		4,86		
38x1,5		2,76		
40x1,5		2,94		
40x2		3,84		
40x3		5,64		
40x3,5		6,48		
40x5		8,88		
40x7,5		8,88		
45x2		4,38		
45x3		6,42		
45x5		10,20		
48x3		6,90		
48,3x4		9,00		
50x1,5		3,72		
50x2		4,86		
50x3		7,20		
50x4		9,36		
50x5		11,46		

Forts.

ALUMINIUMRÖR

Forts. Aluminiumrör runda 6060 T6, 6000 mm			
Dimension mm		Kg/st	Övrigt
54x2		5,28	
55x2		5,40	
60x3		8,70	
60x4		11,40	
60x5		13,98	
65x5		15,24	
70x2		6,90	
70x5		16,56	
75x3		10,98	
75x5		17,82	
80x2		7,92	
80x5		19,08	
90x5		21,60	
100x2		9,96	
100x5		24,18	
110x5		9,96	
120x5		29,28	
125x4		29,28	
125x7,5		45,66	
140x5		45,66	
150x5		36,90	
200x5		49,62	
216x8		86,22	

Aluminiumrör runda 6082 T6, 6000 mm			
Dimension mm		Kg/st	Övrigt
25x3		3,36	
30x3		4,14	
40x3		5,70	
40x4		7,20	
40x5		8,94	
50x3,5		8,28	
50x5		11,46	
50x10		20,70	
60x3		8,70	
60x5		15,30	
60x10		25,92	
70x5		16,56	
75x3		11,10	
75x5		18,00	
80x5		19,08	
90x5		21,66	
100x5		24,24	
100x10		45,90	
150x5		36,90	
150x10		74,40	
170x10		82,86	

Aluminiumrör kvadratiska 6060 T6, 6000 mm			
Dimension mm		Kg/st	Övrigt
10x10x1		0,60	
12x12x1		0,72	
15x15x2		1,68	
18x18x1		1,08	
20x20x2		2,34	
20x20x1		1,26	

Forts.

ALUMINIUMRÖR

Forts. Aluminiumrör kvadratiska 6060 T6, 6000 mm			
Dimension mm		Kg/st	Övrigt
20x20x1,5		1,80	
25x25x2		3,00	
25x25x3		4,26	
30x30x2		3,66	
30x30x3		5,28	
35x35x2		4,32	
40x40x2		4,92	
40x40x3		7,20	
40x40x4		9,36	
45x45x2		5,58	
50x50x2,5		7,68	
50x50x3		9,42	
50x50x5		14,58	
50x50x2		6,24	
50x50x4		11,94	
60x60x3		10,80	
60x60x4		14,52	
70x70x2		8,82	
70x70x4		17,10	
80x80x4		19,68	
80x80x5		24,30	
80x80x3		15,30	
100x100x4		24,90	
120x120x5		37,26	

Aluminiumrör kvadratiska 6082 T6, 6000 mm			
Dimension mm		Kg/st	Övrigt
50x50x5		14,58	
100x100x5		30,72	

Aluminiumrör rektangulära 6060 T6, 6000 mm			
Dimension mm		Kg/st	Övrigt
20x10x1,5		1,32	
20x10x2		1,68	
25x15x2		2,34	
25x20x2		2,64	
30x15x2		2,64	
30x20x2		3,00	
35x20x2		3,30	
40x15x2		3,30	
40x20x1,5		2,76	
40x20x2		3,66	
40x20x3		5,28	
40x25x2		3,96	
40x30x2		4,26	
50x20x2		4,32	
50x25x2		4,62	
50x25x3		6,72	
50x30x2		4,92	
50x30x2,5		6,00	
50x30x3		7,20	
50x40x2,5		6,90	
50x40x3		8,16	
50x40x4		10,62	
60x20x2		4,98	
60x25x3		7,68	

Forts.

ALUMINIUMRÖR

Forts. Aluminiumrör rektangulära 6060 T6, 6000 mm				
Dimension mm		Kg/st		Övrigt
60x30x2		5,58		
60x30x3		8,16		
60x40x2		6,24		
60x40x2,5		7,68		
60x40x3		9,12		
60x40x4		11,94		
80x20x2		6,24		
80x40x3		11,40		
80x40x4		14,52		
80x50x4		15,84		
100x30x3		12,06		
100x40x2,5		10,92		
100x40x3		13,02		
100x40x4		17,10		
100x50x3		13,98		
100x50x4		18,42		
100x60x4		19,68		
120x40x3		15,00		
120x50x4		21,00		
150x40x4		23,58		
150x50x3		18,84		

Aluminiumrör rektangulära 6082 T6, 6000 mm				
Dimension mm		Kg/st		Övrigt
6x100x60		31,20		