



högländets stål

ROSTFRITT

ROSTFRI PLÅT

| Rostfri plåt EN 1.4301 - kallvalsad 2B | | | |
|--|--|--------|--|
| Dimension mm. | | Kg/st | |
| 2000x1000x0,5 | | 8,00 | |
| 2000x1000x0,6 | | 9,60 | |
| 2000x1000x0,7 | | 11,20 | |
| 2500x1250x0,7 | | 17,60 | |
| 2000x1000x0,8 | | 12,80 | |
| 2000x1000x1 | | 16,00 | |
| 2500x1250x1 | | 25,00 | |
| 3000x1500x1 | | 36,00 | |
| 2000x1000x1,25 | | 20,00 | |
| 2500x1250x1,25 | | 31,25 | |
| 3000x1500x1,25 | | 45,00 | |
| 2000x1000x1,5 | | 24,00 | |
| 2500x1250x1,5 | | 37,50 | |
| 3000x1500x1,5 | | 54,00 | |
| 2000x1000x2 | | 32,00 | |
| 2500x1250x2 | | 50,00 | |
| 3000x1250x2 | | 60,00 | |
| 3000x1500x2 | | 72,00 | |
| 4000x2000x2 | | 128,00 | |
| 2000x1000x2,5 | | 40,00 | |
| 2500x1250x2,5 | | 62,50 | |
| 3000x1500x2,5 | | 90,00 | |
| 2000x1000x3 | | 48,00 | |
| 2500x1250x3 | | 75,00 | |
| 3000x1500x3 | | 108,00 | |
| 4000x2000x3 | | 192,00 | |
| 2000x1000x4 | | 64,00 | |
| 2500x1250x4 | | 100,00 | |
| 3000x1500x4 | | 144,00 | |
| 4000x2000x4 | | 256,00 | |
| 2000x1000x5 | | 80,00 | |
| 2500x1250x5 | | 125,00 | |
| 3000x1500x5 | | 180,00 | |
| 4000x2000x5 | | 320,00 | |
| 2000x1000x6 | | 96,00 | |
| 2500x1250x6 | | 150,00 | |
| 3000x1500x6 | | 216,00 | |

| Rostfri plåt EN 1.4301 - varmvalsad 1D | | | |
|--|--|--------|--|
| Dimension mm | | Kg/st | |
| 2000x1000x3 | | 48,00 | |
| 2500x1250x3 | | 75,00 | |
| 3000x1500x3 | | 108,00 | |
| 2000x1000x4 | | 64,00 | |
| 2500x1250x4 | | 100,00 | |
| 3000x1500x4 | | 144,00 | |
| 4000x2000x4 | | 256,00 | |
| 2000x1000x5 | | 80,00 | |
| 2500x1250x5 | | 125,00 | |
| 3000x1500x5 | | 180,00 | |
| 4000x2000x5 | | 320,00 | |
| 2000x1000x6 | | 96,00 | |
| 2500x1250x6 | | 150,00 | |
| 3000x1500x6 | | 216,00 | |
| 4000x2000x6 | | 384,00 | |
| 2000x1000x8 | | 128,00 | |
| 2500x1250x8 | | 200,00 | |

Forts.

ROSTFRI PLÅT

| | | | | |
|--------------|--|--------|--|--|
| 3000x1500x8 | | 288,00 | | |
| 4000x2000x8 | | 512,00 | | |
| 2000x1000x10 | | 160,00 | | |
| 2500x1250x10 | | 250,00 | | |
| 3000x1500x10 | | 360,00 | | |
| 2000x1000x12 | | 192,00 | | |
| 3000x1500x12 | | 432,00 | | |

| Rostfri plåt EN 1.4301 - kvartovalsad | | | | |
|---------------------------------------|--|---------|--|--|
| Dimension mm | | Kg/st | | |
| 2000x1000x15 | | 240,00 | | |
| 3000x1500x15 | | 540,00 | | |
| 2000x1000x20 | | 320,00 | | |
| 3000x1500x20 | | 720,00 | | |
| 2000x1000x25 | | 400,00 | | |
| 3000x1500x25 | | 900,00 | | |
| 2000x1000x30 | | 480,00 | | |
| 3000x1500x30 | | 1080,00 | | |

| Rostfri plåt EN 1.4301 - slipad DP40, fiberlaserplast | | | | |
|---|--|--------|--|--|
| Dimension mm | | Kg/st | | |
| 2000x1000x0,7 | | 11,20 | | |
| 2500x1250x0,7 | | 17,50 | | |
| 2000x1000x1 | | 16,00 | | |
| 2500x1250x1 | | 25,00 | | |
| 3000x1250x1 | | 30,00 | | |
| 3050x1250x1 | | 30,50 | | |
| 3000x1500x1 | | 36,00 | | |
| 2000x1000x1,25 | | 20,00 | | |
| 2500x1250x1,25 | | 31,25 | | |
| 2000x1000x1,5 | | 24,00 | | |
| 2500x1250x1,5 | | 37,50 | | |
| 3000x1250x1,5 | | 45,00 | | |
| 3050x1250x1,5 | | 45,75 | | |
| 3000x1500x1,5 | | 54,00 | | |
| 2000x1000x2 | | 32,00 | | |
| 2500x1250x2 | | 50,00 | | |
| 3000x1250x2 | | 60,00 | | |
| 3000x1500x2 | | 72,00 | | |
| 3050x1500x2 | | 73,20 | | |
| 2000x1000x3 | | 48,00 | | |
| 2500x1250x3 | | 75,00 | | |
| 3000x1500x3 | | 108,00 | | |
| 2000x1000x4 | | 64,00 | | |
| 2500x1250x4 | | 100,00 | | |

| Rostfri plåt EN 1.4301 - slipad DP20, fiberlaserplast | | | | |
|---|--|-------|--|--|
| Dimension mm | | Kg/st | | |
| 2000x1000x0,7* | | 11,20 | | |
| 2500x1250x0,7 | | 17,50 | | |
| 2000x1000x1 | | 16,00 | | |
| 2500x1250x1 | | 25,00 | | |
| 2000x1000x1,25* | | 20,00 | | |
| 2500x1250x1,25 | | 31,25 | | |
| 2000x1000x1,5 | | 24,00 | | |
| 2500x1250x1,5 | | 37,50 | | |
| 2000x1000x2 | | 32,00 | | |
| 2500x1250x2 | | 50,00 | | |
| 2000x1000x3 | | 48,00 | | |
| 2500x1250x3* | | 75,00 | | |

* Dimensionen finns även med utgående saldo som borstad plastad.

ROSTFRI PLÅT

| Rostfri plåt EN 1.4301 - blankglödgad plastad | | | |
|---|--|-------|--|
| Dimension mm | | Kg/st | |
| 3000x1500x1 | | 36,00 | |
| 2500x1250x1 | | 25,00 | |
| 2500x1250x1,25 | | 31,25 | |
| 2500x1250x1,5 | | 37,50 | |
| 3000x1500x1,5 | | 54,00 | |
| 2000x1250x2 | | 50,00 | |
| 3000x1500x2 | | 72,00 | |
| 3000x1500x2,5 | | 90,00 | |

| Rostfri plåt EN 1.4301 - mönstervalsad AN5 | | | |
|--|--|-------|--|
| Dimension mm | | Kg/st | |
| 2500x1250x0,7 | | 17,50 | |
| 2000x1000x1 | | 16,00 | |
| 2500x1250x1 | | 25,00 | |
| 2000x1000x1,5 | | 24,00 | |
| 2500x1250x1,5 | | 37,50 | |

| Syrafast plåt EN 1.4404 - kallvalsad 2B | | | |
|---|--|--------|--|
| Dimension mm | | Kg/st | |
| 2000x1000x0,5 | | 8,00 | |
| 2000x1000x0,7 | | 11,20 | |
| 2000x1000x1 | | 16,00 | |
| 2500x1250x1 | | 25,00 | |
| 3000x1500x1 | | 36,00 | |
| 2000x1000x1,25 | | 20,00 | |
| 2500x1250x1,25 | | 31,25 | |
| 2000x1000x1,5 | | 24,00 | |
| 2500x1250x1,5 | | 37,50 | |
| 3000x1500x1,5 | | 54,00 | |
| 2000x1000x2 | | 32,00 | |
| 4000x2000x2 | | 128,00 | |
| 2500x1250x2 | | 50,00 | |
| 3000x1500x2 | | 72,00 | |
| 2000x1000x2,5 | | 40,00 | |
| 2500x1250x2,5 | | 62,50 | |
| 3000x1500x2,5 | | 90,00 | |
| 2000x1000x3 | | 48,00 | |
| 4000x2000x3 | | 192,00 | |
| 2500x1250x3 | | 75,00 | |
| 3000x1500x3 | | 108,00 | |
| 2000x1000x4 | | 64,00 | |
| 4000x2000x4 | | 256,00 | |
| 2500x1250x4 | | 100,00 | |
| 3000x1500x4 | | 144,00 | |
| 2000x1000x5 | | 80,00 | |
| 2500x1250x5 | | 125,00 | |
| 3000x1500x5 | | 180,00 | |
| 2000x1000x6 | | 96,00 | |
| 2500x1250x6 | | 150,00 | |
| 3000x1500x6 | | 216,00 | |

| Syrafast plåt EN 1.4404 - varmvalsad 1D | | | |
|---|--|--------|--|
| Dimension mm | | Kg/st | |
| 2000x1000x3 | | 48,00 | |
| 2000x1000x4 | | 64,00 | |
| 2500x1250x4 | | 100,00 | |
| 3000x1500x4 | | 144,00 | |
| 6000x2000x4 | | 384,00 | |

Forts.

ROSTFRI PLÅT

| | | | | |
|--------------|--|---------|--|--|
| 2000x1000x5 | | 80,00 | | |
| 2500x1250x5 | | 125,00 | | |
| 3000x1500x5 | | 180,00 | | |
| 6000x2000x5 | | 480,00 | | |
| 2000x1000x6 | | 96,00 | | |
| 2500x1250x6 | | 150,00 | | |
| 3000x1500x6 | | 216,00 | | |
| 6000x2000x6 | | 576,00 | | |
| 2000x1000x8 | | 128,00 | | |
| 2500x1250x8 | | 200,00 | | |
| 3000x1500x8 | | 288,00 | | |
| 6000x2000x8 | | 768,00 | | |
| 2000x1000x10 | | 160,00 | | |
| 2500x1250x10 | | 250,00 | | |
| 3000x1500x10 | | 360,00 | | |
| 6000x2000x10 | | 960,00 | | |
| 2000x1000x12 | | 192,00 | | |
| 2500x1250x12 | | 300,00 | | |
| 3000x1500x12 | | 432,00 | | |
| 6000x2000x12 | | 1152,00 | | |

| Syrafast plåt EN 1.4404 - kvartovalsad | | | | |
|--|--|---------|--|--|
| Dimension mm | | Kg/st | | |
| 2000x1000x15 | | 240,00 | | |
| 2500x1250x15 | | 375,00 | | |
| 3000x1500x15 | | 540,00 | | |
| 6000x2000x15 | | 1440,00 | | |
| 2000x1000x20 | | 320,00 | | |
| 3000x1500x20 | | 720,00 | | |
| 6000x2000x20 | | 1920,00 | | |
| 2000x1000x25 | | 400,00 | | |
| 3000x1500x25 | | 900,00 | | |
| 6000x2000x25 | | 2400,00 | | |
| 2000x1000x30 | | 480,00 | | |
| 3000x1500x30 | | 1080,00 | | |
| 3000x1500x40 | | 1440,00 | | |

| Syrafast plåt EN 1.4432/1.4436 kallvalsad 2B | | | | |
|--|--|--------|--|--|
| Dimension mm | | Kg/st | | |
| 2000x1000x1,5 | | 24,00 | | |
| 3000x1500x1,5 | | 54,00 | | |
| 2000x1000x2 | | 32,00 | | |
| 3000x1500x2 | | 72,00 | | |
| 2000x1000x3 | | 48,00 | | |
| 3000x1500x3 | | 108,00 | | |
| 3000x1500x4 | | 144,00 | | |

| Syrafast plåt EN 1.4432/1.4436 varmvalsad 1D | | | | |
|--|--|--------|--|--|
| Dimension mm | | Kg/st | | |
| 2000x1000x4 | | 64,00 | | |
| 2000x1000x5 | | 80,00 | | |
| 3000x1500x5 | | 180,00 | | |
| 4000x2000x5 | | 320,00 | | |
| 2000x1000x6 | | 96,00 | | |
| 3000x1500x6 | | 216,00 | | |
| 4000x2000x6 | | 384,00 | | |
| 3000x1500x8 | | 288,00 | | |

ROSTFRI PLÅT

| Syrafast plåt EN 1.4432/1.4436 kvartovalsad | | | | |
|---|--|---------|--|--|
| Dimension mm | | Kg/st | | |
| 2000x1000x15 | | 240,00 | | |
| 3000x1500x15 | | 540,00 | | |
| 2000x1000x20 | | 320,00 | | |
| 3000x1500x20 | | 720,00 | | |
| 2000x1000x25 | | 400,00 | | |
| 3000x1500x25 | | 900,00 | | |
| 3000x1500x30 | | 1080,00 | | |
| 3000x1500x35 | | 1260,00 | | |
| 3000x1500x40 | | 1440,00 | | |
| 3000x1500x50 | | 1800,00 | | |

| Rostfri plåt EN 1.4462 - duplex | | | | |
|---------------------------------|--|--------|--|--|
| Dimension mm | | Kg/st | | |
| 3000x1500x1,5 | | 54,00 | | |
| 3000x1500x2 | | 72,00 | | |
| 3000x1500x3 | | 108,00 | | |
| 3000x1500x4 | | 144,00 | | |
| 3000x1500x5 | | 180,00 | | |
| 3000x1500x6 | | 216,00 | | |
| 3000x1500x8 | | 216,00 | | |
| 3000x1500x10 | | 360,00 | | |
| 3000x1500x12 | | 432,00 | | |
| 3000x1500x15 | | 540,00 | | |
| 3000x1500x20 | | 720,00 | | |

| Rostfri plåt EN 1.4162 - LDX 2101 | | | | |
|-----------------------------------|--|--------|--|--|
| Dimension mm | | Kg/st | | |
| 3000x1500x2 | | 72,00 | | |
| 3000x1500x3 | | 108,00 | | |
| 3000x1500x4 | | 144,00 | | |
| 4000x2000x4 | | 256,00 | | |
| 4000x2000x5 | | 320,00 | | |
| 4000x2000x6 | | 384,00 | | |
| 4000x2000x8 | | 512,00 | | |
| 4000x2000x10 | | 640,00 | | |
| 4000x2000x12 | | 768,00 | | |

| Rostfri plåt EN 1.4835 - värmebeständig | | | | |
|---|--|--------|--|--|
| Dimension mm | | Kg/st | | |
| 2000x1000x1,5 | | 24,00 | | |
| 2000x1000x2 | | 32,00 | | |
| 3000x1500x2 | | 72,00 | | |
| 2000x1000x3 | | 48,00 | | |
| 3000x1500x3 | | 108,00 | | |
| 2000x1000x4 | | 64,00 | | |
| 3000x1500x4 | | 144,00 | | |
| 2000x1000x5 | | 80,00 | | |
| 3000x1500x5 | | 180,00 | | |
| 3000x1500x6 | | 216,00 | | |
| 3000x1500x8 | | 216,00 | | |
| 3000x1500x10 | | 360,00 | | |

| Rostfri tårplåt EN 1.4307 | | | | |
|---------------------------|--|--------|--|--|
| Dimension mm | | Kg/st | | |
| 3000x1250x3 | | 114,00 | | |
| 3000x1250x4,5 | | 162,00 | | |

ROSTFRI STÅNG

| Rostfri rundstång EN 1.4301/1.4307 dragen h9 | | | | | |
|--|--|------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 3 | | 0,06 | | 3000 | h9 |
| 4 | | 0,10 | | 3000 | h9 |
| 5 | | 0,15 | | 3000 | h9 |
| 6 | | 0,22 | | 3000 | h9 |
| 8 | | 0,40 | | 3000 | h9 |
| 10 | | 0,62 | | 3000 | h9 |
| 12 | | 0,89 | | 3000 | h9 |
| 14 | | 1,21 | | 3000 | h9 |
| 15 | | 1,39 | | 3000 | h9 |
| 16 | | 1,58 | | 3000 | h9 |
| 18 | | 2,00 | | 3000 | h9 |
| 19 | | 2,23 | | 3000 | h9 |
| 20 | | 2,47 | | 3000 | h9 |
| 22 | | 3,00 | | 3000 | h9 |
| 25 | | 3,90 | | 3000 | h9 |

| Rostfri rundstång EN 1.4305 dragen h9 | | | | | |
|---------------------------------------|--|------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 5 | | 0,15 | | 3000 | h9 |
| 6 | | 0,22 | | 3000 | h9 |
| 7 | | 0,30 | | 3000 | h9 |
| 8 | | 0,40 | | 3000 | h9 |
| 10 | | 0,62 | | 3000 | h9 |
| 12 | | 0,89 | | 3000 | h9 |
| 13 | | 1,04 | | 3000 | h9 |
| 15 | | 1,39 | | 3000 | h9 |
| 16 | | 1,58 | | 3000 | h9 |
| 19 | | 2,23 | | 3000 | h9 |
| 20 | | 2,47 | | 3000 | h9 |
| 22 | | 3,00 | | 3000 | h9 |
| 25 | | 3,85 | | 3000 | h9 |

| Syrafast rundstång EN 1.4404 dragen h9 | | | | | |
|--|--|------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 5 | | 0,15 | | 3000 | h9 |
| 6 | | 0,22 | | 3000 | h9 |
| 8 | | 0,40 | | 3000 | h9 |
| 10 | | 0,62 | | 3000 | h9 |
| 12 | | 0,89 | | 3000 | h9 |
| 13 | | 1,04 | | 3000 | h9 |
| 14 | | 1,21 | | 3000 | h9 |
| 15 | | 1,39 | | 3000 | h9 |
| 16 | | 1,58 | | 3000 | h9 |
| 18 | | 2,00 | | 3000 | h9 |
| 19 | | 2,23 | | 3000 | h9 |
| 20 | | 2,47 | | 3000 | h9 |
| 22 | | 3,00 | | 3000 | h9 |
| 25 | | 3,90 | | 3000 | h9 |
| 28 | | 4,80 | | 3000 | h9 |

| Rostfri rundstång EN 1.4301/1.4307 slipad h9 | | | | | |
|--|--|------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 4 | | 0,10 | | 3000 | h9 |
| 5 | | 0,15 | | 3000 | h9 |
| 6 | | 0,22 | | 3000 | h9 |
| 8 | | 0,40 | | 3000 | h9 |
| 10 | | 0,62 | | 3000 | h9 |
| 12 | | 0,89 | | 3000 | h9 |
| 15 | | 1,39 | | 3000 | h9 |
| 16 | | 1,58 | | 3000 | h9 |
| 20 | | 2,47 | | 3000 | h9 |
| 22 | | 3,00 | | 3000 | h9 |

Forts.

ROSTFRI STÅNG

| | | | | | |
|----|--|-------|--|------|----|
| 25 | | 3,85 | | 3000 | h9 |
| 30 | | 5,55 | | 3000 | h9 |
| 32 | | 6,30 | | 3000 | h9 |
| 35 | | 7,55 | | 3000 | h9 |
| 40 | | 9,87 | | 3000 | h9 |
| 45 | | 12,48 | | 3000 | h9 |
| 50 | | 15,41 | | 5000 | h9 |

| Rostfri rundstång EN 1.4305 slipad h8/h9 | | | | | |
|--|--|-------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 3 | | 0,06 | | 3000 | h8 |
| 4 | | 0,10 | | 3000 | h8 |
| 5 | | 0,15 | | 3000 | h8 |
| 6 | | 0,22 | | 3000 | h8 |
| 7 | | 0,30 | | 3000 | h8 |
| 8 | | 0,40 | | 3000 | h8 |
| 9 | | 0,50 | | 3000 | h8 |
| 10 | | 0,62 | | 3000 | h8 |
| 12 | | 0,89 | | 3000 | h8 |
| 14 | | 1,21 | | 3000 | h8 |
| 15 | | 1,39 | | 3000 | h8 |
| 16 | | 1,58 | | 3000 | h8 |
| 17 | | 1,78 | | 3000 | h8 |
| 18 | | 2,00 | | 3000 | h8 |
| 20 | | 2,47 | | 3000 | h8 |
| 22 | | 2,98 | | 3000 | h9 |
| 25 | | 3,85 | | 3000 | h9 |
| 28 | | 4,83 | | 3000 | h9 |
| 30 | | 5,55 | | 3000 | h9 |
| 32 | | 6,31 | | 3000 | h9 |
| 35 | | 7,55 | | 3000 | h9 |
| 40 | | 9,86 | | 3000 | h9 |
| 45 | | 12,48 | | 3000 | h9 |
| 50 | | 15,41 | | 3000 | h9 |
| 60 | | 22,20 | | 3000 | h9 |

| Syrafast rundstång EN 1.4404 slipad h9 | | | | | |
|--|--|-------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 4 | | 0,10 | | 3000 | h9 |
| 5 | | 0,15 | | 3000 | h9 |
| 6 | | 0,22 | | 3000 | h9 |
| 8 | | 0,40 | | 3000 | h9 |
| 10 | | 0,62 | | 3000 | h9 |
| 12 | | 0,89 | | 3000 | h9 |
| 14 | | 1,21 | | 3000 | h9 |
| 15 | | 1,39 | | 3000 | h9 |
| 16 | | 1,58 | | 3000 | h9 |
| 18 | | 2,00 | | 3000 | h9 |
| 20 | | 2,47 | | 3000 | h9 |
| 22 | | 2,98 | | 4500 | h9 |
| 25 | | 3,85 | | 4500 | h9 |
| 28 | | 4,83 | | 4500 | h9 |
| 30 | | 5,55 | | 4500 | h9 |
| 35 | | 7,55 | | 4500 | h9 |
| 40 | | 9,87 | | 4500 | h9 |
| 45 | | 12,48 | | 4500 | h9 |
| 50 | | 15,40 | | 4500 | h9 |

| Syrafast rundstång EN 1.4460 slipad h9 | | | | | |
|--|--|------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 20 | | 2,47 | | 4500 | h9 |
| 22 | | 2,98 | | 4500 | h9 |
| 25 | | 3,85 | | 4500 | h9 |
| 30 | | 5,55 | | 4500 | h9 |
| 35 | | 7,55 | | 4500 | h9 |

Forts.

ROSTFRI STÅNG

| | | | | | |
|----|--|-------|--|------|----|
| 40 | | 9,87 | | 4500 | h9 |
| 45 | | 12,48 | | 4500 | h9 |
| 50 | | 15,41 | | 4500 | h9 |
| 55 | | 18,70 | | 4500 | h9 |
| 60 | | 22,20 | | 6000 | h9 |
| 70 | | 30,21 | | 4500 | h9 |
| 80 | | 39,46 | | 5500 | h9 |
| 90 | | 49,90 | | 4500 | h9 |

Rostfri rundstång EN 1.4021, seghärdad, QT700

| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
|---------------|--|--------|--|----------|--------|
| 16 | | 1,58 | | 5000 | K12 |
| 19 | | 2,23 | | 5000 | K12 |
| 22 | | 2,98 | | 5000 | K12 |
| 25 | | 3,85 | | 5000 | K12 |
| 28 | | 4,83 | | 5000 | K12 |
| 30 | | 5,55 | | 5000 | K12 |
| 32 | | 6,31 | | 5000 | K12 |
| 35 | | 7,55 | | 5000 | K12 |
| 38 | | 8,90 | | 5000 | K12 |
| 40 | | 9,86 | | 5000 | K12 |
| 45 | | 12,50 | | 5000 | K12 |
| 50 | | 15,40 | | 5000 | K12 |
| 55 | | 18,60 | | 4500 | K12 |
| 60 | | 22,20 | | 4500 | K12 |
| 65 | | 26,00 | | 4500 | K12 |
| 70 | | 30,20 | | 4500 | K12 |
| 75 | | 34,70 | | 4500 | K12 |
| 80 | | 39,40 | | 4500 | K12 |
| 85 | | 44,50 | | 4500 | K12 |
| 100 | | 61,60 | | 4500 | K12 |
| 140 | | 120,80 | | 4500 | K12 |
| 160 | | 157,80 | | 2500 | K13 |

Rostfri rundstång EN 1.4057

| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
|---------------|--|--------|--|----------|--------|
| 16 | | 1,60 | | 5000 | K12 |
| 22 | | 3,00 | | 5000 | K12 |
| 25 | | 3,90 | | 5000 | K12 |
| 28 | | 4,83 | | 5000 | K12 |
| 32 | | 6,31 | | 5000 | K12 |
| 40 | | 9,86 | | 5000 | K12 |
| 45 | | 12,50 | | 5000 | K12 |
| 50 | | 15,40 | | 5000 | K12 |
| 55 | | 18,60 | | 4500 | K12 |
| 60 | | 22,20 | | 4500 | K12 |
| 65 | | 26,00 | | 4500 | K12 |
| 70 | | 30,20 | | 4500 | K12 |
| 75 | | 34,70 | | 4500 | K12 |
| 80 | | 39,40 | | 4500 | K12 |
| 125 | | 96,30 | | 4500 | K12 |
| 85 | | 44,50 | | 4500 | K12 |
| 90 | | 49,90 | | 4500 | K12 |
| 100 | | 61,60 | | 4500 | K12 |
| 105 | | 67,90 | | 4500 | K12 |
| 110 | | 74,60 | | 4500 | K12 |
| 150 | | 139,00 | | 2500 | K12 |
| 160 | | 158,00 | | 2500 | K13 |

ROSTFRI STÅNG

| Rostfri rundstång EN 1.4301/1.4307 skalsvarvad | | | | | |
|--|--|--------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 22 | | 2,98 | | 5000 | K12 |
| 25 | | 3,85 | | 5000 | K12 |
| 28 | | 4,83 | | 5000 | K12 |
| 30 | | 5,55 | | 5000 | K12 |
| 32 | | 6,31 | | 5000 | K12 |
| 35 | | 7,55 | | 5000 | K12 |
| 38 | | 8,90 | | 5000 | K12 |
| 40 | | 9,86 | | 5000 | K12 |
| 45 | | 12,50 | | 5000 | K12 |
| 50 | | 15,40 | | 5000 | K12 |
| 55 | | 18,70 | | 4500 | K12 |
| 60 | | 22,00 | | 4500 | K12 |
| 65 | | 26,00 | | 4500 | K12 |
| 70 | | 30,20 | | 4500 | K12 |
| 75 | | 34,70 | | 4500 | K12 |
| 80 | | 39,50 | | 4500 | K12 |
| 85 | | 44,50 | | 4500 | K12 |
| 90 | | 49,90 | | 4500 | K12 |
| 100 | | 61,70 | | 4500 | K12 |
| 105 | | 68,00 | | 4500 | K12 |
| 110 | | 74,60 | | 4500 | K12 |
| 120 | | 88,70 | | 4500 | K12 |
| 140 | | 121,00 | | 4500 | K12 |
| 150 | | 139,00 | | 2500 | K13 |
| 160 | | 158,00 | | 2500 | K13 |
| 170 | | 178,10 | | 2500 | K13 |
| 180 | | 199,80 | | 2500 | K13 |

| Rostfri rundstång EN 1.4305 skalsvarvad | | | | | |
|---|--|-------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 28 | | 4,80 | | 5000 | K12 |
| 30 | | 5,60 | | 5000 | K12 |
| 35 | | 7,60 | | 5000 | K12 |
| 38 | | 8,90 | | 5000 | K12 |
| 40 | | 9,90 | | 5000 | K12 |
| 45 | | 12,50 | | 5000 | K12 |
| 50 | | 15,40 | | 5000 | K12 |
| 60 | | 22,20 | | 4500 | K12 |
| 70 | | 30,20 | | 4500 | K12 |

| Syrafast rundstång EN 1.4404 skalsvarvad | | | | | |
|--|--|-------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 25 | | 3,85 | | 5000 | K12 |
| 28 | | 4,83 | | 5000 | K12 |
| 30 | | 5,55 | | 5000 | K12 |
| 32 | | 6,31 | | 5000 | K12 |
| 35 | | 7,55 | | 5000 | K12 |
| 38 | | 8,90 | | 5000 | K12 |
| 40 | | 9,86 | | 5000 | K12 |
| 45 | | 12,50 | | 5000 | K12 |
| 50 | | 15,40 | | 4500 | K12 |
| 55 | | 18,70 | | 4500 | K12 |
| 60 | | 22,20 | | 5500 | K12 |
| 65 | | 26,00 | | 4500 | K12 |
| 70 | | 30,20 | | 4500 | K12 |
| 75 | | 34,70 | | 4500 | K12 |
| 80 | | 39,50 | | 4500 | K12 |
| 85 | | 44,50 | | 4500 | K12 |
| 90 | | 49,90 | | 4500 | K12 |
| 95 | | 55,60 | | 4500 | K12 |
| 100 | | 61,70 | | 4500 | K12 |
| 105 | | 68,00 | | 4500 | K12 |

Forts.

ROSTFRI STÅNG

| | | | | | |
|-----|--|--------|--|------|-----|
| 110 | | 74,60 | | 4500 | K12 |
| 115 | | 81,50 | | 4500 | K12 |
| 120 | | 88,80 | | 4500 | K12 |
| 125 | | 96,30 | | 4500 | K12 |
| 140 | | 121,00 | | 4500 | K12 |
| 150 | | 139,00 | | 2500 | K13 |
| 160 | | 158,00 | | 2500 | K13 |
| 170 | | 178,00 | | 2500 | K13 |
| 180 | | 200,00 | | 2500 | K13 |
| 190 | | 222,50 | | 2500 | K13 |
| 200 | | 247,00 | | 2500 | K13 |
| 220 | | 298,30 | | 2500 | K13 |
| 250 | | 385,00 | | 2500 | K13 |
| 280 | | 483,10 | | 2500 | K13 |
| 300 | | 554,90 | | 2500 | K13 |

| Syrafast rundstång EN 1.4460 skalsvarvad | | | | | |
|--|--|--------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 22 | | 2,98 | | 5000 | |
| 28 | | 5,05 | | 5000 | |
| 36 | | 7,99 | | 5000 | |
| 41 | | 10,36 | | 5000 | |
| 46 | | 13,05 | | 5000 | |
| 51 | | 16,20 | | 5000 | |
| 56 | | 19,60 | | 5000 | |
| 61 | | 23,20 | | 5000 | |
| 66 | | 27,00 | | 5000 | |
| 71 | | 31,50 | | 5000 | |
| 76 | | 36,00 | | 5000 | |
| 81 | | 41,00 | | 5000 | |
| 86 | | 46,10 | | 5000 | |
| 91 | | 51,20 | | 5000 | |
| 96 | | 57,40 | | 5000 | |
| 102 | | 64,20 | | 5000 | |
| 107 | | 70,70 | | 5000 | |
| 112 | | 77,50 | | 5000 | |
| 117 | | 84,30 | | 5000 | |
| 122 | | 92,00 | | 5000 | |
| 127 | | 99,70 | | 5000 | |
| 132 | | 107,40 | | 5000 | |
| 143 | | 126,80 | | 5000 | |
| 173 | | 184,40 | | 5000 | |
| 184 | | 208,00 | | 5000 | |
| 224 | | 310,00 | | 5000 | |
| 255 | | 402,50 | | 5000 | |

| Syrafast rundstång EN 1.4462 skalsvarvad | | | | | |
|--|--|-------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 85 | | 44,50 | | 6000 | |

| Rostfri plattstång EN 1.4301/1.4307 klippt | | | | | |
|--|--|------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 15x3 | | 0,35 | | 5000 | |
| 20x3 | | 0,47 | | 5000 | |
| 25x3 | | 0,60 | | 5000 | |
| 30x3 | | 0,70 | | 5000 | |
| 40x3 | | 0,94 | | 5000 | |
| 50x3 | | 1,18 | | 5000 | |
| 15x4 | | 0,47 | | 5000 | |
| 20x4 | | 0,63 | | 5000 | |
| 25x4 | | 0,79 | | 5000 | |
| 30x4 | | 0,94 | | 5000 | |
| 40x4 | | 1,26 | | 5000 | |
| 50x4 | | 1,57 | | 5000 | |

Forts.

ROSTFRI STÅNG

| | | | | | |
|--------|--|-------|--|------|--|
| 20x5 | | 0,80 | | 5000 | |
| 25x5 | | 0,98 | | 5000 | |
| 30x5 | | 1,18 | | 5000 | |
| 35x5 | | 1,40 | | 5000 | |
| 40x5 | | 1,57 | | 5000 | |
| 50x5 | | 1,96 | | 5000 | |
| 60x5 | | 2,36 | | 5000 | |
| 15x6 | | 0,71 | | 5000 | |
| 20x6 | | 0,94 | | 5000 | |
| 25x6 | | 1,18 | | 5000 | |
| 30x6 | | 1,41 | | 5000 | |
| 35x6 | | 1,65 | | 5000 | |
| 40x6 | | 1,88 | | 5000 | |
| 50x6 | | 2,36 | | 5000 | |
| 60x6 | | 2,83 | | 5000 | |
| 70x6 | | 3,30 | | 5000 | |
| 75x6 | | 3,53 | | 5000 | |
| 80x6 | | 3,77 | | 5000 | |
| 100x6 | | 4,71 | | 5000 | |
| 20x8 | | 1,26 | | 5000 | |
| 25x8 | | 1,57 | | 5000 | |
| 30x8 | | 1,88 | | 5000 | |
| 35x8 | | 2,20 | | 5000 | |
| 40x8 | | 2,51 | | 5000 | |
| 50x8 | | 3,14 | | 5000 | |
| 60x8 | | 3,77 | | 5000 | |
| 75x8 | | 4,71 | | 5000 | |
| 80x8 | | 5,02 | | 5000 | |
| 100x8 | | 6,28 | | 5000 | |
| 40x10 | | 3,14 | | 5000 | |
| 50x10 | | 3,92 | | 5000 | |
| 60x10 | | 4,71 | | 5000 | |
| 70x10 | | 5,50 | | 5000 | |
| 80x10 | | 6,28 | | 5000 | |
| 100x10 | | 7,85 | | 5000 | |
| 140x10 | | 11,00 | | 5000 | |
| 150x10 | | 11,80 | | 5000 | |
| 40x12 | | 3,77 | | 5000 | |
| 50x12 | | 4,71 | | 5000 | |
| 60x12 | | 5,65 | | 5000 | |
| 75x12 | | 7,06 | | 5000 | |
| 80x12 | | 7,54 | | 5000 | |
| 100x12 | | 9,42 | | 5000 | |
| 150x12 | | 14,10 | | 5000 | |

| Rostfri plattstång EN 1.4301/1.4307 valsad | | | | |
|--|--|------|----------|--------|
| Dimension mm. | | Kg/m | Längd mm | Övrigt |
| 20x4 | | 0,63 | 4500 | |
| 20x5 | | 0,79 | 4500 | |
| 15x5 | | 0,59 | 5000 | |
| 12x6 | | 0,57 | 4500 | |
| 25x8 | | 1,57 | 4500 | |
| 20x10 | | 1,57 | 4500 | |
| 25x10 | | 1,96 | 4500 | |
| 30x10 | | 2,36 | 4500 | |
| 35x10 | | 2,75 | 4500 | |
| 25x12 | | 2,36 | 4500 | |
| 30x12 | | 2,83 | 4500 | |
| 70x12 | | 6,59 | 4500 | |
| 25x15 | | 2,94 | 4500 | |
| 30x15 | | 3,53 | 4500 | |
| 35x15 | | 4,12 | 4500 | |
| 40x15 | | 4,71 | 4500 | |
| 50x15 | | 5,89 | 4500 | |
| 60x15 | | 7,06 | 4500 | |
| 70x15 | | 8,24 | 4500 | |

Forts.

ROSTFRI STÅNG

| | | | | | |
|--------|--|-------|--|------|--|
| 80x15 | | 9,42 | | 4500 | |
| 100x15 | | 11,80 | | 4500 | |
| 150x15 | | 17,66 | | 4500 | |
| 30x20 | | 4,71 | | 4500 | |
| 35x20 | | 5,50 | | 4500 | |
| 40x20 | | 6,29 | | 4500 | |
| 50x20 | | 7,85 | | 4500 | |
| 60x20 | | 9,42 | | 4500 | |
| 70x20 | | 11,00 | | 4500 | |
| 80x20 | | 12,60 | | 4500 | |
| 100x20 | | 15,70 | | 4500 | |
| 150x20 | | 23,55 | | 4500 | |
| 35x25 | | 6,87 | | 4500 | |
| 40x25 | | 7,85 | | 4500 | |
| 50x25 | | 9,81 | | 4500 | |
| 60x25 | | 11,80 | | 4500 | |
| 75x25 | | 14,70 | | 4500 | |
| 100x25 | | 19,63 | | 4500 | |
| 50x30 | | 11,80 | | 4500 | |
| 60x30 | | 14,10 | | 4500 | |
| 80x30 | | 18,84 | | 4500 | |
| 100x30 | | 23,55 | | 4500 | |
| 50x40 | | 15,70 | | 4500 | |
| 60x40 | | 18,84 | | 4500 | |
| 80x40 | | 25,10 | | 4500 | |

| Rostfri plattstång EN 1.4301/1.4307 slipad K180 | | | | | |
|---|--|------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 20x3 | | 0,47 | | 5000 | |
| 30x3 | | 0,71 | | 4000 | |
| 20x4 | | 0,63 | | 6000 | |
| 25x4 | | 0,79 | | 5000 | |
| 20x5 | | 0,79 | | 5000 | |
| 25x5 | | 0,98 | | 4000 | |
| 30x5 | | 1,18 | | 5000 | |
| 40x5 | | 1,57 | | 5000 | |
| 50x5 | | 1,96 | | 5000 | |
| 20x6 | | 0,94 | | 5000 | |
| 25x6 | | 1,18 | | 5000 | |
| 40x6 | | 1,88 | | 5000 | |
| 50x6 | | 2,36 | | 5000 | |
| 60x6 | | 2,83 | | 4000 | |
| 80x6 | | 3,77 | | 5000 | |
| 20x8 | | 0,94 | | 5000 | |
| 30x8 | | 1,88 | | 5000 | |
| 35x8 | | 2,20 | | 5000 | |
| 40x8 | | 2,51 | | 5000 | |
| 50x8 | | 3,14 | | 5000 | |
| 80x8 | | 5,02 | | 5000 | |
| 25x10 | | 1,96 | | 5000 | |
| 30x10 | | 2,36 | | 5000 | |
| 40x10 | | 3,14 | | 4000 | |
| 50x10 | | 3,93 | | 4000 | |
| 60x10 | | 4,71 | | 5000 | |
| 80x10 | | 6,28 | | 5000 | |
| 100x10 | | 7,85 | | 5000 | |
| 30x12 | | 2,83 | | 5000 | |

| Syrafast plattstång EN 1.4404 klippt | | | | | |
|--------------------------------------|--|------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 15x3 | | 0,35 | | 5000 | |
| 20x3 | | 0,47 | | 5000 | |
| 25x3 | | 0,59 | | 5000 | |
| 30x3 | | 0,71 | | 5000 | |
| 40x3 | | 0,94 | | 5000 | |

Forts.

ROSTFRI STÅNG

| | | | | | |
|--------|--|-------|--|------|--|
| 50x3 | | 1,18 | | 5000 | |
| 20x4 | | 0,63 | | 5000 | |
| 25x4 | | 0,79 | | 5000 | |
| 30x4 | | 0,94 | | 5000 | |
| 40x4 | | 1,26 | | 5000 | |
| 50x4 | | 1,57 | | 5000 | |
| 20x5 | | 0,79 | | 5000 | |
| 25x5 | | 0,98 | | 5000 | |
| 30x5 | | 1,18 | | 5000 | |
| 40x5 | | 1,57 | | 5000 | |
| 50x5 | | 1,96 | | 5000 | |
| 60x5 | | 2,40 | | 5000 | |
| 20x6 | | 0,94 | | 5000 | |
| 25x6 | | 1,18 | | 5000 | |
| 30x6 | | 1,41 | | 5000 | |
| 35x6 | | 1,65 | | 5000 | |
| 40x6 | | 1,88 | | 5000 | |
| 50x6 | | 2,36 | | 5000 | |
| 60x6 | | 2,83 | | 5000 | |
| 75x6 | | 3,53 | | 5000 | |
| 80x6 | | 3,77 | | 5000 | |
| 100x6 | | 4,71 | | 5000 | |
| 25x8 | | 1,57 | | 5000 | |
| 30x8 | | 1,88 | | 5000 | |
| 35x8 | | 2,20 | | 5000 | |
| 40x8 | | 2,51 | | 5000 | |
| 50x8 | | 3,14 | | 5000 | |
| 60x8 | | 3,77 | | 5000 | |
| 80x8 | | 5,02 | | 5000 | |
| 100x8 | | 6,28 | | 5000 | |
| 40x10 | | 3,14 | | 5000 | |
| 50x10 | | 3,92 | | 5000 | |
| 60x10 | | 4,71 | | 5000 | |
| 70x10 | | 5,50 | | 5000 | |
| 80x10 | | 6,28 | | 5000 | |
| 100x10 | | 7,85 | | 5000 | |
| 150x10 | | 11,80 | | 5000 | |
| 40x12 | | 3,77 | | 5000 | |
| 50x12 | | 4,71 | | 5000 | |
| 60x12 | | 5,65 | | 5000 | |
| 80x12 | | 7,54 | | 5000 | |
| 100x12 | | 9,42 | | 5000 | |
| 150x12 | | 14,10 | | 5000 | |

| Syrafast plattstång EN 1.4404 valsad | | | | | |
|--------------------------------------|--|-------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 20x8 | | 1,26 | | 4500 | |
| 20x10 | | 1,57 | | 4500 | |
| 25x10 | | 1,96 | | 4500 | |
| 30x10 | | 2,36 | | 4500 | |
| 35x10 | | 2,75 | | 4500 | |
| 60x10 | | 4,71 | | 5000 | |
| 25x12 | | 2,36 | | 4500 | |
| 30x12 | | 2,83 | | 4500 | |
| 70x12 | | 6,72 | | 4500 | |
| 25x15 | | 2,94 | | 4500 | |
| 30x15 | | 3,53 | | 4500 | |
| 35x15 | | 4,12 | | 4500 | |
| 40x15 | | 4,71 | | 4500 | |
| 50x15 | | 5,89 | | 4500 | |
| 60x15 | | 7,06 | | 4500 | |
| 70x15 | | 8,24 | | 4500 | |
| 80x15 | | 9,42 | | 4500 | |
| 100x15 | | 11,80 | | 4500 | |
| 40x20 | | 6,28 | | 4500 | |
| 50x20 | | 7,85 | | 4500 | |

Forts.

ROSTFRI STÅNG

| | | | | | |
|--------|--|-------|--|------|--|
| 60x20 | | 9,42 | | 4500 | |
| 70x20 | | 11,00 | | 4500 | |
| 80x20 | | 12,60 | | 4500 | |
| 100x20 | | 15,70 | | 4500 | |
| 150x20 | | 23,60 | | 4500 | |
| 35x25 | | 6,90 | | 4500 | |
| 50x25 | | 9,81 | | 4500 | |
| 100x25 | | 20,00 | | 4500 | |
| 50x30 | | 11,80 | | 4500 | |
| 60x30 | | 14,10 | | 4500 | |
| 70x30 | | 16,50 | | 4500 | |
| 80x30 | | 18,80 | | 4500 | |
| 60x40 | | 18,84 | | 4500 | |
| 80x40 | | 25,12 | | 4500 | |
| 65x45 | | 23,10 | | 4500 | |

Rostfri vinkelstång EN 1.4301 liksidig

| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
|---------------|--|-------|--|----------|--------|
| 20x20x3 | | 0,88 | | 6000 | |
| 25x25x3 | | 1,12 | | 6000 | |
| 30x30x3 | | 1,36 | | 6000 | |
| 30x30x4 | | 1,78 | | 6000 | |
| 40x40x4 | | 2,42 | | 6000 | |
| 50x50x5 | | 3,77 | | 6000 | |
| 60x60x6 | | 5,42 | | 6000 | |
| 70x70x7 | | 7,38 | | 6000 | |
| 80x80x8 | | 9,66 | | 6000 | |
| 100x100x10 | | 15,20 | | 6000 | |
| 120x120x10 | | 18,10 | | 6000 | |
| 130x130x12 | | 23,80 | | 6000 | |
| 150x150x13 | | 29,80 | | 6000 | |
| 200x200x13 | | 40,20 | | 6000 | |

Rostfri vinkelstång EN 1.4301 oliksidig

| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
|---------------|--|-------|--|----------|--------|
| 40x20x3 | | 1,37 | | 6000 | |
| 30x20x4 | | 1,47 | | 6000 | |
| 45x30x5 | | 2,60 | | 6000 | |
| 50x30x5 | | 2,98 | | 6000 | |
| 60x30x5 | | 3,40 | | 6000 | |
| 60x40x5 | | 3,80 | | 6000 | |
| 70x50x6 | | 5,47 | | 6000 | |
| 80x40x6 | | 5,47 | | 6000 | |
| 100x50x6 | | 6,91 | | 6000 | |
| 100x50x8 | | 9,09 | | 6000 | |
| 120x80x8 | | 12,20 | | 6000 | |
| 130x65x8 | | 11,80 | | 6000 | |
| 150x100x10 | | 19,00 | | 6000 | |
| 200x100x12 | | 27,40 | | 6000 | |

Syrafast vinkelstång EN 1.4404 liksidig

| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
|---------------|--|-------|--|----------|--------|
| 20x20x3 | | 0,88 | | 6000 | |
| 25x25x3 | | 1,12 | | 6000 | |
| 30x30x3 | | 1,36 | | 6000 | |
| 30x30x4 | | 1,78 | | 6000 | |
| 40x40x4 | | 2,42 | | 6000 | |
| 50x50x5 | | 3,77 | | 6000 | |
| 60x60x6 | | 5,42 | | 6000 | |
| 70x70x7 | | 7,38 | | 6000 | |
| 80x80x8 | | 9,66 | | 6000 | |
| 100x100x10 | | 15,20 | | 6000 | |

ROSTFRI STÅNG

| Rostfri fyrkantstång EN 1.4301/1.4307 | | | | | |
|---------------------------------------|--|-------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 10 | | 0,79 | | 4000 | |
| 12 | | 1,13 | | 4000 | |
| 15 | | 1,77 | | 4000 | |
| 20 | | 3,14 | | 4000 | |
| 25 | | 4,91 | | 4000 | |
| 30 | | 7,06 | | 4000 | |
| 32 | | 8,04 | | 4000 | |
| 35 | | 9,62 | | 4000 | |
| 40 | | 12,60 | | 4000 | |
| 50 | | 19,60 | | 4000 | |

| Syrafast fyrkantstång EN 1.4404 | | | | | |
|---------------------------------|--|-------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 10 | | 0,79 | | 4000 | |
| 12 | | 1,13 | | 4000 | |
| 15 | | 1,77 | | 4000 | |
| 20 | | 3,14 | | 4000 | |
| 25 | | 4,91 | | 4000 | |
| 30 | | 7,07 | | 4000 | |
| 32 | | 8,04 | | 4000 | |
| 35 | | 9,62 | | 4000 | |
| 40 | | 12,56 | | 4000 | |
| 50 | | 19,60 | | 4000 | |
| 60 | | 28,30 | | 4000 | |

| Rostfri sexkantstång EN 1.4305 | | | | | |
|--------------------------------|--|-------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 17 | | 1,97 | | 3000 | |
| 19 | | 2,50 | | 3000 | |
| 22 | | 3,29 | | 3000 | |
| 24 | | 3,86 | | 3000 | |
| 27 | | 4,96 | | 3000 | |
| 30 | | 6,12 | | 3000 | |
| 32 | | 6,96 | | 3000 | |
| 36 | | 8,81 | | 3000 | |
| 41 | | 11,43 | | 3000 | |

| Syrafast sexkantstång EN 1.4404 | | | | | |
|---------------------------------|--|-------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 11 | | 0,82 | | 3000 | |
| 13 | | 1,15 | | 3000 | |
| 17 | | 1,97 | | 3000 | |
| 19 | | 2,48 | | 3000 | |
| 22 | | 3,29 | | 3000 | |
| 24 | | 3,92 | | 3000 | |
| 27 | | 5,72 | | 3000 | |
| 30 | | 6,12 | | 3000 | |
| 32 | | 8,04 | | 3000 | |
| 36 | | 8,81 | | 3000 | |
| 41 | | 11,43 | | 3000 | |
| 46 | | 14,39 | | 3000 | |

| Rostfri T-profil EN 1.4301 | | | | | |
|----------------------------|--|-------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 25x25x3 | | 1,13 | | 6000 | |
| 30x30x3 | | 1,37 | | 6000 | |
| 40x40x4 | | 2,42 | | 6000 | |
| 50x50x5 | | 3,80 | | 6000 | |
| 60x60x6 | | 5,47 | | 6000 | |
| 80x80x8 | | 9,70 | | 6000 | |
| 100x100x10 | | 15,10 | | 6000 | |

ROSTFRI STÅNG

| Rostfri U-profil EN 1.4301 | | | | | |
|----------------------------|--|-------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 40x20x4x4.5 | | 2,97 | | 6000 | |
| 50x25x5x6.0 | | 3,59 | | 6000 | |
| 60x30x6x6.0 | | 5,10 | | 6000 | |
| 65x42x5.5x7.5 | | 7,10 | | 6000 | |
| 80x45x6x8 | | 8,65 | | 6000 | |
| 100x50x6x8.5 | | 10,60 | | 6000 | |
| 120x55x7x9 | | 13,40 | | 6000 | |
| 140x60x7x10 | | 16,20 | | 6000 | |
| 160x65x7.5x10.5 | | 18,80 | | 6000 | |
| 200x75x8.5x11.5 | | 25,30 | | 6000 | |

| Rostfri balk EN 1.4301 (HEA, HEB) | | | | | |
|-----------------------------------|--|-------|--|----------|--------|
| Dimension mm. | | Kg/m | | Längd mm | Övrigt |
| 96x100x5.0x8.0 | | 16,70 | | 6000 | HEA |
| 114x120x5.0x8.0 | | 19,90 | | 6000 | HEA |
| 133x140x5.5x8.5 | | 24,70 | | 6000 | HEA |
| 100x100x6.0x10 | | 20,40 | | 6000 | HEB |
| 120x120x6.5x11 | | 26,70 | | 6000 | HEB |
| 140x140x7.0x12 | | 33,70 | | 6000 | HEB |
| 160x160x8.0x13 | | 42,60 | | 6000 | HEB |

ROSTFRIA RÖR

| Rostfria svetsade rör EN 1.4307 glödgate | | | |
|--|--|------|--------|
| Dimension mm. | | Kg/m | Övrigt |
| 6x1 | | 0,13 | |
| 8x1 | | 0,18 | |
| 10x1 | | 0,23 | |
| 12x1 | | 0,28 | |
| 14x1 | | 0,33 | |
| 15x1,5 | | 0,51 | |
| 16x1 | | 0,38 | |
| 18x1 | | 0,43 | |
| 18x1,5 | | 0,62 | |
| 20x1,5 | | 0,70 | |
| 20x2 | | 0,90 | |
| 22x1,5 | | 0,77 | |
| 23x1,5 | | 0,81 | |
| 25x1,5 | | 0,88 | |
| 25x2 | | 1,15 | |
| 28x1,5 | | 1,00 | |
| 30x1 | | 0,73 | |
| 30x1,5 | | 1,07 | |
| 30x2 | | 1,40 | |
| 35x1,5 | | 1,26 | |
| 38x1,5 | | 1,37 | |
| 38x2 | | 1,80 | |
| 43x1,5 | | 1,56 | |
| 44,5x2 | | 2,13 | |
| 51x2 | | 2,45 | |
| 54x2 | | 2,60 | |
| 68x1,5 | | 2,50 | |
| 69x2 | | 3,36 | |
| 70x2 | | 3,41 | |

| Rostfria svetsade rör EN 1.4307 | | | |
|---------------------------------|--|-------|--------|
| Dimension mm. | | Kg/m | Övrigt |
| 83x1,5 | | 3,06 | |
| 84x2 | | 4,11 | |
| 103x1,5 | | 3,80 | |
| 104x2 | | 5,10 | |
| 106x3 | | 7,70 | |
| 128x1,5 | | 4,80 | |
| 129x2 | | 6,40 | |
| 131x3 | | 9,60 | |
| 153x1,5 | | 5,70 | |
| 154x2 | | 7,60 | |
| 156x3 | | 11,50 | |
| 203x1,5 | | 7,60 | |
| 204x2 | | 10,10 | |
| 205x2,5 | | 12,70 | |
| 206x3 | | 15,20 | |
| 254x2 | | 12,70 | |
| 255x2,5 | | 15,90 | |
| 256x3 | | 19,00 | |
| 304x2 | | 15,20 | |
| 306x3 | | 22,80 | |
| 355x2,5 | | 21,80 | |
| 356x3 | | 26,05 | |
| 406x3 | | 30,30 | |
| 408x4 | | 40,50 | |

Forts.

ROSTFRIA RÖR

| | | | | |
|-------|--|-------|--|--|
| 506x3 | | 37,80 | | |
| 508x4 | | 50,50 | | |
| 606x3 | | 45,30 | | |
| 708x4 | | 70,51 | | |

| Rostfria svetsade rör EN 1.4307 glödgade, ISO | | | | |
|---|--|------|--|-----------------|
| Dimension mm. | | Kg/m | | Övrigt |
| 13,5x2,3 | | 0,65 | | |
| 17,2x1,6 | | 0,63 | | |
| 17,2x2,3 | | 0,86 | | |
| 21,3x1,6 | | 0,79 | | |
| 21,3x2 | | 0,95 | | |
| 21,3x2,6 | | 1,22 | | |
| 26,9x1,6 | | 1,01 | | Oglödgad, betad |
| 26,9x2,6 | | 1,58 | | |
| 26,9x2,6 | | 1,58 | | |
| 33,7x1,6 | | 1,29 | | |
| 33,7x2 | | 1,59 | | |
| 33,7x3,2 | | 2,44 | | Oglödgad, betad |
| 33,7x3,2 | | 2,40 | | |
| 42,4x1,6 | | 1,64 | | |
| 42,4x2 | | 2,02 | | |
| 42,4x3,2 | | 3,14 | | Oglödgad, betad |
| 42,4x3,2 | | 3,14 | | |
| 48,3x1,6 | | 1,87 | | |
| 48,3x2 | | 2,32 | | |
| 48,3x3,2 | | 3,61 | | Oglödgad |
| 48,3x3,2 | | 3,61 | | |
| 60,3x1,6 | | 2,35 | | |
| 60,3x2 | | 2,92 | | |
| 60,3x3,6 | | 5,11 | | |
| 76,1x1,6 | | 2,98 | | |
| 76,1x2 | | 3,71 | | |
| 76,1x3,6 | | 6,54 | | |

| Rostfria svetsade rör EN 1.4307, ISO | | | | |
|--------------------------------------|--|-------|--|--------|
| Dimension mm. | | Kg/m | | Övrigt |
| 88,9x1,6 | | 3,50 | | |
| 88,9x2 | | 4,35 | | |
| 88,9x2,6 | | 5,62 | | |
| 88,9x3 | | 6,45 | | |
| 88,9x4 | | 8,50 | | |
| 114,3x1,6 | | 4,52 | | |
| 114,3x2 | | 5,62 | | |
| 114,3x2,6 | | 7,27 | | |
| 114,3x3,6 | | 9,98 | | |
| 114,3x3 | | 8,36 | | |
| 139,7x2 | | 6,90 | | |
| 139x2,6 | | 8,93 | | |
| 139,7x3 | | 10,27 | | |
| 168,3x2 | | 8,33 | | |
| 168,3x2,6 | | 10,79 | | |
| 168,3x3 | | 12,42 | | |
| 219,1x2 | | 10,87 | | |
| 219,1x2,6 | | 14,10 | | |
| 219,1x3 | | 16,23 | | |
| 323,9x2 | | 16,12 | | |
| 323,9x2,6 | | 20,92 | | |

Forts.

ROSTFRIA RÖR

| | | | | |
|---------|--|-------|--|--|
| 323,9x3 | | 24,11 | | |
| 273x2 | | 13,57 | | |
| 273x2,6 | | 17,60 | | |
| 273x3 | | 20,28 | | |
| 273x3,2 | | 21,62 | | |
| 406,4x3 | | 30,30 | | |

| Rostfria svetsade rör 304L glödgade | | | | |
|-------------------------------------|--|------|--|--------|
| Dimension mm. | | Kg/m | | Övrigt |
| 33,4x3,38 | | 2,54 | | |
| 42,2x2,77 | | 2,73 | | |
| 42,2x3,56 | | 3,44 | | |
| 48,3x2,77 | | 3,16 | | |
| 48,3x3,68 | | 4,11 | | |
| 60,3x2,77 | | 3,99 | | |
| 60,3x3,91 | | 5,52 | | |

| Rostfria svetsade rör 304L glödgade betade | | | | |
|--|--|-------|--|--------|
| Dimension mm. | | Kg/m | | Övrigt |
| 88,9x3,05 | | 6,56 | | |
| 88,9x5,49 | | 11,47 | | |
| 114,3x3,05 | | 8,50 | | |
| 114,3x6,02 | | 16,32 | | |
| 141,3x3,4 | | 11,74 | | |
| 168,3x2,77 | | 11,48 | | |
| 168,3x3,4 | | 14,04 | | |
| 168,3x7,11 | | 28,70 | | |
| 219,1x3,76 | | 20,27 | | |
| 219,1x6,35 | | 33,83 | | |
| 219,1x8,18 | | 43,20 | | |
| 273x4,19 | | 28,20 | | |
| 273x6,35 | | 42,40 | | |
| 323,9x6,35 | | 50,49 | | |
| 323,9x9,53 | | 75,02 | | |
| 355,6x4,78 | | 41,99 | | |
| 406,4x4,78 | | 48,07 | | |
| 406,4x6,35 | | 63,61 | | |
| 508x5,54 | | 69,70 | | |
| 610x6,35 | | 95,98 | | |

| Rostfria svetsade mejerirör EN 1.4301 | | | | |
|---------------------------------------|--|------|--|--------|
| Dimension mm. | | Kg/m | | Övrigt |
| 25x1,2 | | 0,74 | | |
| 32x1,2 | | 0,96 | | |
| 38x1,2 | | 1,15 | | |
| 51x1,2 | | 1,56 | | |
| 63,5x1,6 | | 2,33 | | |
| 76,1x1,6 | | 3,00 | | |
| 101,6x2 | | 4,99 | | |

ROSTFRIA RÖR

| Rostfria svetsade rör EN 1.4301/1.4307 polerade | | | |
|---|--|------|--------|
| Dimension mm. | | Kg/m | Övrigt |
| 25x1,5 | | 0,88 | |
| 16x1,5 | | 0,57 | |
| 20x1,5 | | 0,70 | |
| 25x1,5 | | 0,88 | |
| 30x1,5 | | 1,07 | |
| 32x2 | | 1,50 | |
| 35x1,5 | | 1,26 | |
| 38x2 | | 1,80 | |

| Rostfria dekorationsrör EN 1.4307 slipade | | | |
|---|--|------|--------|
| Dimension mm. | | Kg/m | Övrigt |
| 8x1 | | 0,18 | |
| 10x1 | | 0,23 | |
| 12x1 | | 0,28 | |
| 16x1 | | 0,38 | |
| 18x1 | | 0,43 | |
| 15x1,5 | | 0,51 | |
| 20x1,5 | | 0,70 | |
| 20x2 | | 0,90 | |
| 22x1,5 | | 0,77 | |
| 25x1,5 | | 0,88 | |
| 25x2 | | 1,15 | |
| 28x1,5 | | 1,00 | |
| 30x1,5 | | 1,07 | |
| 30x2 | | 1,40 | |
| 32x1,25 | | 0,95 | |
| 32x2 | | 1,48 | |
| 38x1,5 | | 1,37 | |
| 38x2 | | 1,80 | |
| 40x1,5 | | 1,45 | |
| 51x1,5 | | 1,86 | |
| 51x2 | | 2,45 | |

| Syrafasta svetsade rör EN 1.4404 glödgade | | | |
|---|--|------|--------|
| Dimension mm. | | Kg/m | Övrigt |
| 6x1 | | 0,13 | |
| 8x1 | | 0,18 | |
| 10x1 | | 0,23 | |
| 12x1 | | 0,28 | |
| 14x1 | | 0,32 | |
| 15x1,5 | | 0,51 | |
| 16x1 | | 0,38 | |
| 17x1 | | 0,40 | |
| 18x1,5 | | 0,62 | |

| Syrafasta svetsade rör EN 1.4432 glödgade | | | |
|---|--|------|--------|
| Dimension mm. | | Kg/m | Övrigt |
| 18x1,5 | | 0,62 | |
| 20x1,5 | | 0,70 | |
| 20x2 | | 0,90 | |
| 23x1,5 | | 0,81 | |
| 25x1,5 | | 0,88 | |
| 25x2 | | 1,15 | |
| 28x1,5 | | 1,00 | |
| 30x1,5 | | 1,07 | |
| 30x2 | | 1,40 | |

Forts.

RÖSTFRIA RÖR

| | | | | |
|--------|--|------|--|--|
| 35x1,5 | | 1,26 | | |
| 38x2 | | 1,80 | | |
| 44,5x2 | | 2,13 | | |
| 53x1,5 | | 1,93 | | |
| 54x2 | | 2,60 | | |
| 68x1,5 | | 2,50 | | |
| 69x2 | | 3,36 | | |
| 70x2 | | 3,41 | | |

| Syrafasta svetsade rör EN 1.4432 | | | | |
|----------------------------------|--|-------|--|--------|
| Dimension mm. | | Kg/m | | Övrigt |
| 84x2 | | 4,11 | | |
| 103x1,5 | | 3,80 | | |
| 104x2 | | 5,10 | | |
| 106x3 | | 7,70 | | |
| 108x4 | | 10,40 | | |
| 128x1,5 | | 4,80 | | |
| 129x2 | | 6,40 | | |
| 131x3 | | 9,62 | | |
| 154x2 | | 7,60 | | |
| 156x3 | | 11,50 | | |
| 158x4 | | 15,40 | | |
| 204x2 | | 10,10 | | |
| 205x2,5 | | 12,70 | | |
| 206x3 | | 15,20 | | |
| 208x4 | | 20,40 | | |
| 254x2 | | 12,70 | | |
| 255x2,5 | | 15,90 | | |
| 256x3 | | 19,00 | | |
| 304x2 | | 15,20 | | |
| 305x2,5 | | 19,00 | | |
| 306x3 | | 22,80 | | |
| 308x4 | | 30,50 | | |
| 355x2,5 | | 21,80 | | |
| 356x3 | | 26,20 | | |
| 406x3 | | 30,30 | | |
| 408x4 | | 40,50 | | |
| 456x3 | | 33,60 | | |
| 458x4 | | 45,47 | | |
| 506x3 | | 37,80 | | |
| 508x4 | | 50,50 | | |
| 608x4 | | 45,30 | | |
| 608x4 | | 60,50 | | |
| 708x4 | | 70,51 | | |
| 808x4 | | 80,53 | | |

| Syrafasta svetsade rör EN 1.4432 glödgade, ISO | | | | |
|--|--|------|--|--------|
| Dimension mm. | | Kg/m | | Övrigt |
| 21,3x1,6 | | 0,79 | | |
| 21,3x2 | | 0,95 | | |
| 26,9x1,6 | | 1,01 | | |
| 26,9x2 | | 1,25 | | |
| 33,7x1,6 | | 1,29 | | |
| 33,7x2 | | 1,59 | | |
| 42,4x2 | | 2,02 | | |
| 48,3x1,6 | | 1,87 | | |
| 48,3x2 | | 2,32 | | |
| 60,3x1,6 | | 2,35 | | |

Forts.

RÖSTFRIA RÖR

| | | | | |
|--------|--|------|--|--|
| 60,3x2 | | 2,92 | | |
| 60,3x3 | | 4,30 | | |
| 76,1x2 | | 3,71 | | |

| Syrafasta svetsade rör EN 1.4432 oglödgade betade, ISO | | | | |
|--|--|-------|--|--------|
| Dimension mm. | | Kg/m | | Övrigt |
| 88,9x1,6 | | 3,50 | | |
| 88,9x2 | | 4,35 | | |
| 88,9x2,6 | | 5,62 | | |
| 88,9x3 | | 6,45 | | |
| 88,9x3,6 | | 7,69 | | |
| 88,9x4 | | 8,50 | | |
| 114,3x2 | | 5,62 | | |
| 114,3x2 | | 7,27 | | |
| 114,3x3 | | 8,36 | | |
| 139,7x2 | | 6,90 | | |
| 139,7x2,6 | | 8,93 | | |
| 139,7x3 | | 10,27 | | |
| 168,3x2 | | 8,33 | | |
| 168,3x2,6 | | 10,79 | | |
| 168,3x3 | | 12,42 | | |
| 168,3x4 | | 16,46 | | |
| 219,1x2 | | 10,87 | | |
| 219,1x3 | | 16,23 | | |
| 219,1x4 | | 21,54 | | |
| 273x2 | | 13,57 | | |
| 273x2,5 | | 17,60 | | |
| 273x3 | | 20,28 | | |
| 323,9x3 | | 24,11 | | |
| 457x4 | | 45,37 | | |

| Syrafasta svetsade rör EN 1.4404 glödgade, ISO | | | | |
|--|--|------|--|--------|
| Dimension mm. | | Kg/m | | Övrigt |
| 13,5x2,3 | | 0,65 | | |
| 17,2x1,6 | | 0,63 | | |
| 17,2x2,3 | | 0,86 | | |
| 21,3x2,6 | | 1,22 | | |
| 26,9x2,6 | | 1,58 | | |
| 30x2 | | 1,40 | | |
| 33,7x3,2 | | 2,44 | | |
| 42,4x3,2 | | 3,14 | | |
| 48,3x3,2 | | 3,61 | | |
| 60,3x3,6 | | 5,11 | | |
| 76,1x3,6 | | 6,54 | | |

| Syrafasta svetsade rör EN 1.4404 glödgade, ISO | | | | |
|--|--|-------|--|--------|
| Dimension mm. | | Kg/m | | Övrigt |
| 21,3x2,77 | | 1,29 | | |
| 26,7x2,87 | | 1,71 | | |
| 33,4x2,77 | | 2,12 | | |
| 42,2x3,56 | | 3,44 | | |
| 48,3x3,68 | | 4,11 | | |
| 60,3x2,77 | | 3,99 | | |
| 60,3x3,91 | | 5,52 | | |
| 73x3,05 | | 5,34 | | |
| 88,9x2,11 | | 4,59 | | |
| 88,9x3,05 | | 6,56 | | |
| 88,9x5,49 | | 11,47 | | |

Forts.

ROSTFRIA RÖR

| | | | | |
|------------|--|-------|--|--|
| 101,6x3,05 | | 7,53 | | |
| 114,3x2,11 | | 5,93 | | |
| 114,3x3,05 | | 8,50 | | |
| 168,3x3,4 | | 14,04 | | |
| 168,3x7,11 | | 28,70 | | |
| 219,1x3,76 | | 20,27 | | |
| 219,1x6,35 | | 33,83 | | |
| 273x4,19 | | 28,20 | | |
| 273x6,35 | | 42,40 | | |
| 355,6x4,78 | | 41,99 | | |
| 610x6,35 | | 95,98 | | |

| Syrfasta svetsade rör EN 1.4404 polerade | | | | |
|--|--|------|--|--------|
| Dimension mm. | | Kg/m | | Övrigt |
| 10x1 | | 0,23 | | |
| 12x1 | | 0,28 | | |
| 20x1,5 | | 0,70 | | |
| 22x1,5 | | 0,77 | | |
| 25x1,5 | | 0,88 | | |
| 25x2 | | 1,15 | | |
| 30x2 | | 1,40 | | |
| 38x2 | | 1,80 | | |
| 76,1x2 | | 3,71 | | |
| 42,4x3,2 | | 3,14 | | |
| 48,3x3,2 | | 3,61 | | |

| Syrfasta sömlösa rör EN 1.4404 | | | | |
|--------------------------------|--|-------|--|--------|
| Dimension mm. | | Kg/m | | Övrigt |
| 13,5x2,3 | | 0,65 | | |
| 17,2x2,3 | | 0,86 | | |
| 21,3x2,6 | | 1,22 | | |
| 26,9x2,6 | | 1,58 | | |
| 33,7x3,2 | | 2,44 | | |
| 42,4x3,2 | | 3,14 | | |
| 48,3x3,2 | | 3,61 | | |
| 60,3x3,6 | | 5,11 | | |
| 88,9x4 | | 8,50 | | |
| 108x4 | | 10,42 | | |

| Syrfasta sömlösa hydraulrör EN 1.4404 | | | | |
|---------------------------------------|--|------|--|--------|
| Dimension mm. | | Kg/m | | Övrigt |
| 6x1 | | 0,13 | | |
| 8x1 | | 0,18 | | |
| 10x1 | | 0,23 | | |
| 10x1,5 | | 0,32 | | |
| 10x2 | | 0,40 | | |
| 12x1 | | 0,28 | | |
| 12x1,5 | | 0,39 | | |
| 12x2 | | 0,50 | | |
| 15x1,5 | | 0,50 | | |
| 16x2 | | 0,70 | | |
| 16x1,5 | | 0,55 | | |
| 18x1,5 | | 0,62 | | |
| 16x2,5 | | 0,85 | | |
| 20x2 | | 0,90 | | |
| 22x1,5 | | 0,77 | | |
| 20x3 | | 1,28 | | |
| 22x2 | | 1,00 | | |

Forts.

ROSTFRIA RÖR

| | | | | |
|------|--|------|--|--|
| 25x2 | | 1,15 | | |
| 28x2 | | 1,29 | | |
| 30x3 | | 2,01 | | |

| Rostfria sömlösa hydraulrör EN 1.4306 | | | | |
|---------------------------------------|--|------|--|--------|
| Dimension mm. | | Kg/m | | Övrigt |
| 20x3 | | 1,28 | | |
| 25x2,5 | | 1,41 | | |

| Rostfria fyrkantrör EN 1.4301 | | | | |
|-------------------------------|--|-------|--|--------|
| Dimension mm. | | Kg/m | | Övrigt |
| 10x10x1 | | 0,30 | | |
| 12x12x1 | | 0,36 | | |
| 15x15x1 | | 0,46 | | |
| 20x20x1.5 | | 0,90 | | |
| 25x25x1.2 | | 0,93 | | |
| 25x25x1.5 | | 1,15 | | |
| 30x30x1.5 | | 1,37 | | |
| 25x25x2 | | 1,50 | | |
| 30x30x2 | | 1,84 | | |
| 35x35x2 | | 2,15 | | |
| 40x40x1.5 | | 1,86 | | |
| 40x40x2 | | 2,45 | | |
| 40x40x3 | | 3,76 | | |
| 40x40x4 | | 4,81 | | |
| 45x45x2 | | 2,78 | | |
| 45x45x1.2 | | 1,75 | | |
| 50x50x2 | | 3,08 | | |
| 50x50x3 | | 4,65 | | |
| 50x50x4 | | 5,96 | | |
| 60x60x2 | | 3,71 | | |
| 60x60x3 | | 5,49 | | |
| 60x60x4 | | 7,22 | | |
| 60x60x5 | | 8,90 | | |
| 80x80x2 | | 4,99 | | |
| 80x80x3 | | 7,53 | | |
| 80x80x4 | | 9,82 | | |
| 80x80x5 | | 12,40 | | |
| 100x100x3 | | 9,53 | | |
| 100x100x4 | | 12,40 | | |
| 100x100x5 | | 15,38 | | |
| 120x120x4 | | 15,03 | | |
| 120x120x5 | | 18,66 | | |
| 150x150x4 | | 18,62 | | |
| 150x150x5 | | 22,40 | | |

| Rostfria rektangulära rör EN 1.4301 | | | | |
|-------------------------------------|--|------|--|--------|
| Dimension mm. | | Kg/m | | Övrigt |
| 20x10x1.5 | | 0,67 | | |
| 25x15x1.5 | | 0,90 | | |
| 30x15x1.5 | | 1,00 | | |
| 30x20x1.5 | | 1,15 | | |
| 40x20x1.5 | | 1,37 | | |
| 40x20x2 | | 1,84 | | |
| 40x30x2 | | 2,15 | | |
| 50x25x2 | | 2,32 | | |
| 50x30x2 | | 2,45 | | |
| 60x30x2 | | 2,80 | | |

Forts.

ROSTFRIA RÖR

| | | | | |
|-----------|--|-------|--|--|
| 60x30x3 | | 4,13 | | |
| 60x40x2 | | 3,08 | | |
| 60x40x3 | | 4,65 | | |
| 60x40x4 | | 5,96 | | |
| 80x40x2 | | 3,71 | | |
| 80x40x3 | | 5,49 | | |
| 80x40x4 | | 7,22 | | |
| 80x60x3 | | 6,53 | | |
| 100x40x2 | | 4,38 | | |
| 100x40x3 | | 6,53 | | |
| 100x40x4 | | 8,45 | | |
| 100x50x2 | | 4,68 | | |
| 100x50x3 | | 6,95 | | |
| 100x50x5 | | 11,24 | | |
| 100x60x3 | | 7,53 | | |
| 100x60x4 | | 9,82 | | |
| 120x60x4 | | 11,05 | | |
| 120x80x4 | | 12,40 | | |
| 120x80x5 | | 15,38 | | |
| 150x100x4 | | 15,42 | | |
| 150x100x5 | | 18,80 | | |

Rostfria fyrkantrör EN 1.4301 slipade

| Dimension mm. | | Kg/m | | Övrigt |
|---------------|--|-------|--|--------|
| 15x15x1.5 | | 0,64 | | |
| 20x20x1.5 | | 0,90 | | |
| 25x25x1.5 | | 1,15 | | |
| 25x25x2 | | 1,50 | | |
| 30x30x1.5 | | 1,37 | | |
| 30x30x2 | | 1,84 | | |
| 35x35x2 | | 2,15 | | |
| 40x40x1.5 | | 1,86 | | |
| 40x40x2 | | 2,45 | | |
| 40x40x3 | | 3,76 | | |
| 45x45x2 | | 2,78 | | |
| 50x50x2 | | 3,08 | | |
| 50x50x3 | | 4,65 | | |
| 60x60x2 | | 3,71 | | |
| 60x60x3 | | 5,49 | | |
| 100x100x4 | | 12,40 | | |

Rostfria rektangulära rör EN 1.4301 slipade

| Dimension mm. | | Kg/m | | Övrigt |
|---------------|--|------|--|--------|
| 20x10x1.5 | | 0,66 | | |
| 30x15x1.5 | | 1,00 | | |
| 30x20x2 | | 1,50 | | |
| 40x20x1.5 | | 1,37 | | |
| 40x20x2 | | 1,84 | | |
| 50x20x1.5 | | 1,62 | | |
| 50x25x2 | | 2,32 | | |
| 50x30x2 | | 2,45 | | |
| 60x30x2 | | 2,80 | | |
| 60x40x2 | | 3,08 | | |
| 80x40x2 | | 3,71 | | |
| 100x50x2 | | 4,68 | | |
| 100x50x3 | | 6,95 | | |

ROSTFRIA RÖR

| Syrafasta fyrkantrör EN 1.4571 | | | |
|--------------------------------|--|-------|--------|
| Dimension mm. | | Kg/m | Övrigt |
| 20x20x1.5 | | 0,90 | |
| 30x30x2 | | 1,84 | |
| 40x40x2 | | 2,45 | |
| 40x40x3 | | 3,76 | |
| 50x50x2 | | 3,08 | |
| 50x50x3 | | 4,65 | |
| 60x60x3 | | 5,49 | |
| 60x60x5 | | 8,91 | |
| 80x80x3 | | 7,53 | |
| 80x80x5 | | 12,40 | |
| 100x100x4 | | 12,40 | |
| 120x120x5 | | 18,66 | |

| Syrafasta rektangulära rör EN 1.4571 | | | |
|--------------------------------------|--|-------|--------|
| Dimension mm. | | Kg/m | Övrigt |
| 20x10x1.5 | | 0,67 | |
| 30x15x1.5 | | 1,00 | |
| 40x20x1.5 | | 1,37 | |
| 40x20x2 | | 1,84 | |
| 50x30x2 | | 2,45 | |
| 60x40x3 | | 4,65 | |
| 80x40x2 | | 3,71 | |
| 100x50x3 | | 6,95 | |
| 100x50x5 | | 11,24 | |
| 100x60x4 | | 9,82 | |
| 150x100x4 | | 15,42 | |

| Rostfria ämnesrör EN 1.4307 | | | |
|-----------------------------|--|-------|--------|
| Dimension mm. | | Kg/m | Övrigt |
| 32x16 | | 5,10 | |
| 36x20 | | 6,00 | |
| 36x25 | | 4,60 | |
| 40x25 | | 6,60 | |
| 45x20 | | 10,80 | |
| 45x28 | | 8,40 | |
| 45x32 | | 6,90 | |
| 50x25 | | 12,50 | |
| 50x36 | | 8,20 | |
| 56x28 | | 15,70 | |
| 56x36 | | 12,50 | |
| 63x32 | | 19,70 | |
| 63x40 | | 16,00 | |
| 63x50 | | 10,20 | |
| 71x36 | | 25,00 | |
| 71x45 | | 20,40 | |
| 71x56 | | 13,20 | |
| 75x40 | | 26,50 | |
| 80x50 | | 26,40 | |
| 90x63 | | 28,20 | |
| 90x71 | | 21,20 | |
| 100x56 | | 46,10 | |
| 100x71 | | 33,90 | |
| 106x80 | | 33,30 | |
| 112x63 | | 56,50 | |
| 125x71 | | 68,50 | |
| 125x100 | | 39,20 | |

Forts.

ROSTFRIA RÖR

| 132x106 | | 43,10 | | |
|------------------------------|--|-------|--|--------|
| 160x112 | | 86,50 | | |
| Syrafasta ämnesrör EN 1.4404 | | | | |
| Dimension mm. | | Kg/m | | Övrigt |
| 32x16 | | 5,10 | | |
| 32x20 | | 4,20 | | |
| 36x20 | | 6,00 | | |
| 36x25 | | 4,60 | | |
| 40x20 | | 8,00 | | |
| 40x25 | | 6,60 | | |
| 40x28 | | 5,60 | | |
| 45x20 | | 10,80 | | |
| 45x28 | | 8,40 | | |
| 45x32 | | 6,90 | | |
| 50x25 | | 12,50 | | |
| 50x32 | | 10,00 | | |
| 50x36 | | 8,20 | | |
| 56x28 | | 15,70 | | |
| 56x36 | | 12,50 | | |
| 56x40 | | 10,50 | | |
| 63x32 | | 19,70 | | |
| 63x40 | | 16,00 | | |
| 63x50 | | 10,20 | | |
| 71x36 | | 25,00 | | |
| 71x45 | | 20,40 | | |
| 71x56 | | 13,20 | | |
| 75x40 | | 26,50 | | |
| 80x40 | | 32,00 | | |
| 80x50 | | 25,40 | | |
| 80x63 | | 16,90 | | |
| 85x45 | | 33,20 | | |
| 90x50 | | 37,60 | | |
| 90x63 | | 28,20 | | |
| 90x71 | | 21,20 | | |
| 95x50 | | 43,00 | | |
| 100x56 | | 46,10 | | |
| 100x63 | | 39,30 | | |
| 100x71 | | 33,90 | | |
| 100x80 | | 25,10 | | |
| 106x56 | | 54,20 | | |
| 106x71 | | 42,10 | | |
| 106x80 | | 33,30 | | |
| 112x63 | | 56,50 | | |
| 112x80 | | 42,00 | | |
| 112x90 | | 31,00 | | |
| 118x63 | | 64,20 | | |
| 118x90 | | 40,20 | | |
| 125x71 | | 68,50 | | |
| 125x80 | | 60,20 | | |
| 125x90 | | 51,50 | | |
| 125x100 | | 39,20 | | |
| 132x71 | | 79,90 | | |
| 132x90 | | 61,20 | | |
| 132x106 | | 43,10 | | |
| 140x80 | | 85,20 | | |
| 140x100 | | 63,50 | | |
| 140x112 | | 47,90 | | |

Forts.

ROSTFRIA RÖR

| | | | | |
|---------|--|--------|--|--|
| 150x80 | | 103,90 | | |
| 150x95 | | 87,80 | | |
| 150x106 | | 74,70 | | |
| 150x125 | | 47,80 | | |
| 160x122 | | 71,60 | | |
| 160x112 | | 86,50 | | |
| 160x132 | | 56,60 | | |
| 170x140 | | 64,00 | | |
| 180x150 | | 68,50 | | |
| 180x125 | | 110,40 | | |
| 170x118 | | 99,10 | | |
| 160x90 | | 113,80 | | |
| 190x150 | | 92,00 | | |
| 190x160 | | 73,10 | | |
| 200x140 | | 134,50 | | |
| 200x160 | | 97,80 | | |
| 212x130 | | 182,30 | | |
| 212x170 | | 109,70 | | |
| 224x140 | | 199,10 | | |
| 224x180 | | 121,00 | | |
| 236x190 | | 134,10 | | |
| 250x200 | | 153,80 | | |